

**GREENBACK
REBATE**2025 Greenback Rebate Incentive Program
to Assist Your Machine Sales!
See Page 3 for Complete Details.

Valid January 1, 2025 except as noted

**INDUSTRIAL
PRO®****Forney®**

Version: 01/14/25

MIG • STICK • TIG • PLASMA • OXYFUEL SOLUTIONS**MULTI PROCESS SOLUTIONS****190 ACDC MP**

Weld to 3/8" with 190 amps
Inverter Power Source
120/240V
Generator Friendly, Stable Arc
18" Operating Envelope
Integrated Cable Wrap
Steel Construction
Built-In Tool Holders
46 lbs.

NEW**Multi-Process Welder**

MIG *Ready*
TrueSet™ MIG *Ready*
Spool Gun *Capable**
Stick *Ready*
ACDC-TIG *Ready*

* See Spool Gun Options on Page 8

\$100**GREENBACK**See Page 3 for
complete Details**Inverter Technology****CCCV/ACDC/1ph**

CAT#

DESCRIPTION

300

190 ACDC MP, 120/240V

**250MP PRO**

Weld to 1/2" with 250 Amps
Intuitive LCD Screen
Inverter Power Source
120/240V
Generator Friendly, Stable Arc
30" Operating Envelope
Integrated Cable Wrap
Steel Construction
Aluminum Legs and Handles with Built-In Tool Holders
67.24 lbs.

NEW**Multi-Process Welder**

MIG *Ready*
TrueSet™ MIG *Ready*
Spool Gun *Capable**
Stick *Ready*
DC-TIG *Capable**

* See Bundle Options on Page 9

\$100**GREENBACK**See Page 3 for
complete Details**Inverter Technology****CCCV/DC/1ph**

CAT#

DESCRIPTION

415

250MP, 120/240V

**DO
YOU
KNOW****ARE YOUR WELDING MACHINES UL®, CSA®, or ETL® LISTED?**

UL, CSA, and ETL represent recognized safety certifications for products, adhering to USA and Canadian standards, including rigorous testing to ensure they meet safety standards, consumer protection, and market practices. All three are considered by OSHA as Nationally Recognized Testing Laboratories (NRTLs).



All Forney® and Easy Weld® Welding, Plasma, and Oxy-Fuel Equipment are UL or CSA Listed as applicable.

STUDENT ADF HELMET*Perfect for Schools***55731B**

Boxed

See Details on Page 21

**PLASMA
CUTTING**

Page 4-5

**MIG
MACHINES**

Starting Page 6

**STICK & TIG
MACHINES**

Starting Page 8

**Multi-Process
MACHINES**

Page 9

**MIG, STICK, TIG
PLASMA
ACCESSORIES
CONSUMABLES**

Starting Page 10

**Auto-Darkening
HELMETS**

Page 21

**Oxy-Fuel
GAS
EQUIPMENT**

Starting Page 22

IP Customer Service 1-888-889-1889**industrialpro.net**

FORNEY® WELDING and PLASMA MACHINES

THE RIGHT MACHINES for YOUR CUSTOMERS

Forney 400-Series



Commercial Grade Inverters, Final Assembled and Tested in the USA

Forney 300-Series



Commercial Grade, Transformer & Inverter Based, Benchmarked vs. Big Brands

Forney Easy Weld® 200-Series



Retail Grade Inverters ~\$600 or Less, Household Power, 1/4" Market

MOST COMMON PROCESSES



FEATURE and BENEFIT OVERVIEW

Our Brands

Equipment Design

Trusted Technology

Ease of Use

Consumables

Add-On Sales

Technical & Warranty Support

Final Assembly

Forney Pro™

Commercial Grade
Advanced Features
Excellent Arc Characteristics

Inverters

120/230V Power
Generator Friendly
Light-Weight

17-Series TIG
Hypertherm® Compatible
Plasma

Gases, Filler Metals,
Helmets, Gloves and
Accessories

3-Years
1-800-889-1889
askforney.com
180+ Warranty Centers

Fort Collins CO USA

Forney®

Commercial Grade
Alternative to Big Brands
Excellent Arc Characteristics

Transformers & Inverters

120/230V Power
Generator Friendly

Tweco® Compatible MIG
17-Series TIG
Forney Plasma

Gases, Filler Metals,
Helmets, Gloves and
Accessories

5/3/1 Transformers
3-Years Inverters
1-800-889-1889
askforney.com
180+ Warranty Centers

Italy
China

Easy Weld®

Retail Grade
\$500 or Less
1/4" Applications
No Risk Quality

Inverters

120V Power
Generator Friendly
Light-Weight

Tweco® Compatible MIG
9 or 17-Series TIG
Forney Plasma

Filler Metals, Helmets,
Gloves and Accessories

1-Year
1-800-889-1889
askforney.com

China

Forney Machine Focus

Typical Application Parameters					Inverter				Transformer		Markets
Work Piece Thickness	Welding Amperage	Cutting Amperage	Input Voltage	Cutting	PAC	GMAW	SMAW	GTAW-DC	GMAW Spool Gun	GTAW-AC	
1/4"	20-140A	20A	120V	20P		140FCI 140MP 140 MIG	100ST 140MP	100ST 140MP			DIY Artist Workshops Garage Farm & Ranch Auto Body & Repair Plumbing HVAC MRO Light Industrial Mfg General Fabrication Trailer Mfg Rental Companies Contractor Process Pipe Construction Agricultural Eq Mfg Military Construction Eq Mfg Mining Eq Mfg Electronics/ Medical Aircraft / Aerospace Automotive Mfg Energy Oil and Gas Railroads Infrastructure Shipbuilding
3/8"	20-160A	30A	240V	Flex™ 30		190MP 190 ACDC MP 190 MIG 210 MIG 242 Dual MIG	190MP 190 ACDC MP Flex™ 30 180ST+	190MP 190 ACDC MP Flex™ 30 180ST+	190MP 190 ACDC MP 210 MIG 242 Dual MIG	190 ACDC MP	
1/2"	20-250A	40A	240V	40P		220MP 250MP 270 MIG	220ST Pro 220MP 250MP 235 ACDC	220ST Pro 220MP 250MP	250 Spool Gun Spool Pro Hornet™ 220MP 250MP 270 MIG	220 ACDC	
5/8"	20-250A	45A	240V								
3/4"	20-300A	60A	240V								
1"	20-500A	100A	240V	45P Pro							

Limited Warranties

200-Series Welders & Plasma



1 Year: Forney Easy Weld™ Machines: All internal electrical components that cannot be accessed without removing the cover.

90 Days: Forney Easy Weld®, Welders & Plasma Cutters: MIG guns and plasma torches.

Exclusions apply, see website for more details.

300-Series Welders



5 Years: Forney Transformer Based Machines: Transformers and rectifiers

3 Years: Forney Transformer Based Machines: All internal electrical components that cannot be accessed without removing the cover.

90 Days: Forney Welders & Plasma Cutters: MIG guns and plasma torches.

Exclusions apply, see website for more details.

400-Series Welders & Plasma



3 Years: Forney Inverter Based Machines: All internal electrical components that cannot be accessed without removing the cover.

90 Days: Forney Welders & Plasma Cutters: MIG guns and plasma torches.

Exclusions apply, see website for more details.

Forney®, Industrial Pro® and the machine color green are registered trademarks of Forney Industries LLC.

TrueSet™, EasyWeld®, Flex™, Fornair™, Ignite™, Spool Pro™ and Hornet™ are registered trademarks of Forney Industries LLC.

Disclaimer: Cross Reference to competitor's models may have a slight difference in some specifications yet are deemed compatible. Competitive trademarks are in no way affiliated with Industrial Pro®. We reserve the right to change specifications without notice. Note: Pictures are for reference only, not actual size.

<https://www.forneyind.com/support/warranty-information>

END USER REBATE PROGRAMS

GREENBACK**END USER PURCHASE REBATE PROGRAM**

Receive a rebate when you purchase a qualifying Forney® welder, plasma cutter or air compressor. Submit your completed rebate form with proof of purchase online at www.forneyind.com or call Customer Service at 800-521-6038. Offer expires 30 days after date of purchase.

RULES: Qualifying purchases made between January 1, 2025 and June 30, 2025 are eligible for limited time promotional rebate. A complete and accurate form must be submitted and received by Forney Industries no later than 30 days after date of purchase. Name on invoice must match name on rebate claim form. Only one rebate submission per invoice and/or receipt. Rebate cannot be combined with any other offer. Rebate gift cards will be paid to the individual person or company named on the original invoice. Individuals may not redeem rebates on purchases made by or on behalf of the individual's employer. Confirmation and status will be sent to email provided. Incomplete rebate forms and/or missing proof of purchase will be returned. Only persons 18 or older may submit the rebate form and are eligible to receive the rebate. Forney Industries interpretation of the rules is final. Rebate offer will expire 30 days after date of purchase on submitted receipt. Promotion may be subject to change without advance notice. Up to 6-8 weeks processing.

FRAUD WARNING: Theft, diversion, reproduction, transfer, sale or purchase of document associated with this promotion including proofs of purchase, cash register receipts, or invoices are prohibited and constitute fraud. Fraudulent submissions will be disqualified and could result in prosecution.

TERMS AND CONDITIONS: Forney Industries is not responsible for lost, late, misdirected, postage due or undeliverable mail. Illegible or incomplete request will not be honored. One rebate form submission per invoice or receipt. Void where prohibited, taxed, or restricted. Offer only valid for qualified instore or order online and pick-up instore purchase from a verified Forney retail store in the United States, or www.forneyind.com. Forney Industries reserves the right to withdraw this offer at any time. All rebates are paid in U.S. dollars. For more details visit www.forneyind.com or call 1-800-521-6038. Forney Industries reserves the right to cancel and stop the rebate program at any time.

ITEM#	Model	Process	Product Name	Greenback™ Rebate Offer Through 6/30/25
251	20 P		Forney Easy Weld® 20 P Plasma Cutter	\$50.00
25101	20 P Bundle		Forney Easy Weld® 20 P Plasma Cutter Bundle	\$50.00
440	40 P		Forney® 40 P Plasma Cutter	\$100.00
445	45 P		Forney® 45 P PRO Plasma Cutter	\$125.00
291	180 ST		Forney Easy Weld® 180 ST Welder	\$75.00
298	100 ST		Forney Easy Weld® 100 ST Welder	\$40.00
29801	100 ST Bundle		Forney Easy Weld® 100 ST Welder Bundle	\$30.00
314	235 AC/DC		Forney® 235 AC/DC Stick Welder	\$120.00
320	Flex™ 30 ST		Forney® Flex™ 30 Plasma ST	\$100.00
321	180 ST+		Forney® 180 ST+ Pulse Welder	\$30.00
420	220 AC/DC		Forney® 220 AC/DC TIG Welder Package	\$330.00
421	220 AC/DC		Forney® 220 AC/DC TIG Welder Amptril™ Package	\$330.00
430	220 ST PRO		Forney® 220 ST PRO Welder	\$460.00
271	140 MP		Forney Easy Weld® 140 MP Welder	\$60.00
300	190 AC/DC MP		Forney® 190 AC/DC MP Welder	\$100.00
323	190 MP		Forney® 190 MP Welder	\$75.00
410	220 MP		Forney® 220 MP Welder	\$100.00
415	250 MP PRO		Forney® 250 MP PRO Welder	\$200.00
416	250 MP PRO Bundle		Forney® 250 MP PRO Welder with TIG Accessories	\$100.00
417	250 MP PRO Bundle		Forney® 250 MP PRO Welder with Amptril TIG Accessories	\$100.00
418	250 MP PRO Bundle		Forney® 250 MP PRO Welder with Spool PRO™ Hornet Spool Gun	\$100.00
419	250 MP PRO Bundle		Forney® 250 MP PRO Welder with 250A Spool Gun	\$100.00
11415	250 MP PRO Bundle		Forney® 250 MP PRO Welder with Dual Cylinder Cart	\$50.00
11416	250 MP PRO Bundle		Forney® 250 MP PRO Welder TIG Accessories & Dual Cylinder Cart	\$50.00
11418	250 MP PRO Bundle		Forney® 250 MP PRO Welder with Spool PRO™ Hornet Spool Gun & Dual Cylinder Cart	\$50.00
11419	250 MP PRO Bundle		Forney® 250 MP PRO Welder with 250A Spool Gun & Dual Cylinder Cart	\$50.00
261	140 FC-i		Forney® Easy Weld 140 FC-i Welder	\$50.00
26101	140 FC-i Bundle		Forney® Easy Weld 140 FC-i Welder Bundle	\$40.00
309	140 MIG		Forney® 140 MIG Welder	\$50.00
311	210 MIG		Forney® 210 MIG Welder	\$100.00
318	190 MIG		Forney® 190 MIG Welder	\$75.00
319	270 MIG		Forney® 270 MIG Welder	\$150.00
327	242 MIG		Forney® 242 Dual MIG Welder	\$150.00
11334	242 MIG Bundle		Forney® 242 Dual MIG Aluminum Package with Spool Gun	\$175.00
11342	210 MIG Bundle		Forney® 210 MIG Aluminum Package with Spool Gun	\$150.00
550	-	-	Fornair™ 2.5 CFM Air Compressor	\$30.00
555	-	-	Fornair™ 4.5 CFM Air Compressor	\$50.00

INDUSTRY AFFILIATIONS



PLASMA MACHINES

45P Pro



Clean Cut to 7/8"
Sever Cut to 1-1/8"
120/240V Dual Voltage Input, 20/45A, 15'
15' Ground Clamp and Lead
Infinite Amperage to 45A
Drag Torch Technology
Forney Ignite™ Plasma Torch
25' Torch with Trigger Guard
6.6 CFM Air @ 120psi
38A @60% Duty Cycle, 240V
Integrated Air Regulator and Water Separator
Fan On Demand
Integrated Cable Wrap
Aluminum Legs and Handles with Built-In Tool Holders
Consumable Starter Kit, included
31 lbs.

NEW
7/8"



\$125
GREEN BACK

See Page 3 for Complete Details



Inverter Technology

Hypertherm®
Compatible Plasma
Consumables



Forney Ignite™
Plasma Torch



Features:

Easy to Start and Use
Reliable Arc Starts
Quick Torch Connections
40' Operating Envelope
Two Cutting Modes

Applications with
Proper Consumables

Drag Cutting
Gouging
Fine Cutting
Marking

Optional Accessories:

50' Torch
Replacement Consumables

Metals:

Ferrous
Non-Ferrous
Expanded

CAT#	DESCRIPTION
445	45P, 45A 120/240V

Machine	Mild Steel	Stainless Steel	Aluminum	Galvanized	Brass	Copper	Severance (Mild Steel)
45P	7/8"	7/8"	1/2"	7/8"	7/8"	7/8"	1-1/8"
40P	1/2"	1/2"	3/16"	1/2"	1/2"	1/2"	3/4"
Flex™ 30	3/8"	3/8"	1/8"	3/8"	3/8"	3/8"	5/8"
20P	1/4"	1/4"	3/16"	1/4"	1/4"	1/4"	3/8"

Recommended Capacity

40P



Cut to 1/2", Sever Cut to 3/4"
Drag Torch Technology
Torch Trigger Guard
Easy Start & Use
Multi-Voltage Input, 120/240V
120V: 35% @ 20A, 240V: 60% @ 40A Duty Cycle
Minimum Air, 5.5 CFM @ 90 PSI
Integrated Air Pressure Regulator and Water Separator
Temperature Controlled Fan
35' Operating Envelope
Integrated Cable Wrap
Light-weight, just 21.5 lbs.

1/2"



40P Mounted on
#555 Compressor
Rolls Like A
Rollerboard

\$100
GREEN BACK

See Page 3 for Complete Details

Inverter Technology

CAT#	DESCRIPTION
440	40P, 40A 120/240V

85676
Consumable Kit
for 40P See Page 17 for Details

20P



Cut to 1/4", Sever Cut to 3/8"
Drag Torch Technology
Torch Trigger Guard
Easy Start & Use
120V, 30A Recommended
35% @ 20A Duty Cycle
Minimum Air, 2 SCFM @ 90 PSI
Integrated Air Pressure Regulator and Dryer, 1/4" Inlet
19' Operating Envelope
Integrated Cable Wrap
Light-weight, just 21.5 lbs.

1/4"

\$50
GREEN BACK

See Page 3 for Complete Details

Inverter Technology

CAT#	DESCRIPTION
251	20P, 20A 120V

85674
Consumable Kit
for 20P See Page 17 for Details



FORNAIR™ AIR COMPRESSORS



2.0 HP, 4 GALLON, OIL-FREE COMPRESSOR

#555

See Accessories on Page 12

Optimized for Use with Forney 40P Plasma Cutter
Ultra-Quiet Noise Technology, 69dB
120 PSIG, 4.5CFM @ 90 PSIG, 2 x 1/4" I/M Female Couplers
120V, 15 Second Recovery Time
#89555 40P Mounting Bracket
#89550 20P Mounting Bracket



CAT#
555



1.0 HP, 4 GALLON, OIL-FREE COMPRESSOR

#550

See Accessories on Page 12

Optimized for Use with Forney 20P Plasma Cutter
Ultra-Quiet Noise Technology, 61dB
120 PSIG, 2.5CFM @ 90 PSIG, 2 x 1/4" I/M Female Couplers
120V, 25 Second Recovery Time



CAT#
550

PLASMA MACHINES

45P Plasma Consumables

FORNEY® IGNITE™ HAND TORCH

REPLACEMENT CONSUMABLES: Proper Consumable Pairing Critical to Ensure 45P Performance. Do NOT Mix Consumable Types

Consumable Type	Torch Type	Amperage	Shield/Deflector	Retaining Cap	Cutting Nozzle	Swirl Ring	Electrode
Drag-Cutting	Hand	45	1 85939	9 85936	13 85931 5-Pack	20 85943	23 85927 5-Pack
Precision Cut (F)	Hand	45	7 85925	9 85936	19 85930 5-Pack	22 85942	23 85927 5-Pack
Gouging (G)	Hand	26-45	4 85937	9 85936	16 85932 5-Pack	20 85943	23 85927 5-Pack

45A STARTER KIT

Consumable Type	Torch Type	Amperage	Shield/Deflector	Retaining Cap	Cutting Nozzle	Swirl Ring	Electrode
45A Starter Kit	Forney Ignite™	45	1 85939	9 85936	13 85931 2-Each	20 85943	23 85927 2-Each
#85944	Hand Torch						

45P REPLACEMENT TORCHES:

Torch Type	Amperage	20' Length	50' Length
Forney Ignite™	45	85640	85950
Hand Torch			

IMPORTANT: Not for Use with Other Forney Plasma Machines
Hypertherm® Compatible Plasma Consumables

All Trademarks are the property of their respective owners. Industrial Pro® / Forney Industries is in no way affiliated with Hypertherm®. Hypertherm®, Powermax®, Duramax® and FineCut® are trademarks of Hypertherm Associates.

Flex™ 30



Plasma, Stick, DC-TIG

Infinite Amperage to 30A/180A
120/240V Dual Voltage Input, 6'
Fan On Demand
Integrated Cable Wrap
19 lbs.

3/8" Plasma and
Stick + DC-TIG
Welder

3/8"



\$100
GREENBACK
See Page 3 for
Complete Details

Inverter Technology



CCCV/DC/1ph



3 YEAR **GREENBACK**

CAT#	DESCRIPTION
320	FLEX 30 30A/180A, 120/240V
87018	FLEX 30, 17FV DC-TIG BUNDLE

Features:

PAC - Plasma Cutting

3/8" Clean Cut
60% @ 30A, 240V
15' Plasma Torch
Drag Torch
Uses Standard Forney Plasma Consumables, See Page 17
4.5 CFM Air @ 80psi
Integrated Air Regulator and Water Separator

Stick (SMAW) Ready

180A
25% @ 180A, 240V
8' Electrode Holder and Leads
Easy Hot Start
Up to 5/32", Common Electrodes

DC-TIG (GTAW) Capable

160A, Lift Arc
30% @ 180A, 240V
Optional TIG Accessories, Sold Separately or Bundle
17FV TIG Torch, #85659
Argon/CO2 Flowmeter, #100639
Flex 30 with DC-TIG Package, #87018

PLASMA FACE SHIELD

58610




See Page 21 for more Details

PLASMA ACCESSORIES

PLASMA CONSUMABLES and KITS

See Page 18 for Details



CUTTING GUIDES

See Page 18 for Details
For Forney Plasma Machines

REPLACEMENT PLASMA TORCHES

See Page 18 for Details
For 45P Plasma Machine (Forney Ignite™)
For 40P Plasma Machine (Euro)
For 20P Plasma Machine (Hard Wire)

RUNNING GEAR - Optional

See Page 11 for Details



89550



89555



85683

140009

Description	Cat#
Stand-Off Guide	140009
Circle Cutting Guide	85683

Plasma Cutter Cat#

45P 20'	85640
45P 50'	85950
40P	85680
Flex™ 30	85680
20P	78012

Plasma Cutter Cat#

45P	332 Cart
40P	332 Cart
Flex™ 30	332 Cart
20P	332 Cart

Compressor	Cat#
89550	20P
89555	40P, Flex™ 30



00332

MIG WELDERS

140FCi, FLUX CORE

Weld to 1/4"
120V Input
Infinite Amperage to 140A
Infinite Wire Feed Speed
Gasless Only
Up to .030" Flux-Core Wire
Tweco® #1-Series Consumables
90A @30% Duty Cycle
19 lbs.

EASY WELD™

\$50
GREEN BACK

See Page 3 for
Complete Details



#261 Shown

Inverter Technology

CV / DC / 1ph

CAT#	DESCRIPTION
261	140FCi, 140A, 120V

140 MIG

Weld to 1/4"
Transformer Power Source
120V Input
4-Tapped Amperage to 140A
Infinite Wire Feed Speed
Gas or Gasless, Flowgauge & Hose Included
Up to .030" Wire
Tweco® #1-Series Consumables
115A @ 20% Duty Cycle
57 lbs.



\$50
GREEN BACK

See Page 3 for
Complete Details



#309 Shown

Transformer Technology

CV / DC / 1ph

CAT#	DESCRIPTION
309	140 MIG, 140A 120V

190 MIG



Weld to 3/8"
240V Input
6-Tapped Amperage to 190A
Infinite Wire Feed Speed
Gas or Gasless, Flowgauge & Hose Included
Up to .035" Wire
Tweco® #1-Series Consumables
120A @ 25% Duty Cycle
63 lbs.

\$75
GREEN BACK

See Page 3 for
Complete Details



#318 Shown

Transformer Technology

CV/DC/1ph

5/3/1
WARRANTY

GREEN BACK

CAT#	DESCRIPTION
318	190 MIG, 190A 240V

210 MIG



Weld to 3/8"
230V Input
6-Tapped Amperage to 210A
Infinite Wire Feed Speed
Up to .035" Wire
Tweco® #2-Series Consumables
130A @ 25% Duty Cycle
Gas or Gasless, Flowgauge & Hose Included
Spool Gun Capable
78 lbs.

#311 Shown



\$100/\$150
GREEN BACK

See Page 3 for
Complete Details

Transformer Technology

CV/DC/1ph

5/3/1
WARRANTY

GREEN BACK

CAT#	DESCRIPTION
311	210 MIG, 210A 240V
11342	210 MIG, 85651 SPOOL GUN KIT
87011	210 MIG, HORNET™ SG BUNDLE
87012	210 MIG, BASIC SG BUNDLE

MIG ACCESSORIES

TWECO® STYLE CONSUMABLES


See Page 12 for Details

Tip Types (14-Series Shown)

Standard



Heavy Duty



Note: Pictures are for reference only,
not actual size.

Welder	Type
140FCi	#1 Tweco®
140 MIG	
140MP (EW)	
190 MIG	
190 MP (F) (New)	
210 MIG	#2 Tweco®
220MP	
242 MIG	
270 MIG	

RUNNING GEAR - Optional

See Page 11 for Details



00332

328

Welder	Cat#
140FCi	332 Cart
140 MIG	
140MP (EW)	
190 MIG	
210 MIG	
242 MIG	328 Trolley
270 MIG	

REPLACEMENT MIG GUNS

See Page 11 for Details

Tweco® Style Consumables

See Page 12 for Details



140FCi	78009
140 MIG	84094
140MP (EW)	78010
190 MIG	84094
190MP (F) (New)	
210 MIG	84095
220MP	84095
242 MIG	84096
270 MIG	84096

SPOOL GUNS

See Page 11 for Details

Tweco® #2-Series Consumables

See Page 12 for Details



#85620
HORNET™

#85650
Basic

Welder	Cat#
190MP (New)	85620 85650
210 MIG	85620 85650
220MP	85620 85650
242 MIG	85620 85650
270 MIG	85620 85650

MIG WELDERS

242 DUAL MIG

Weld to 3/8"
240V Input
10-Tapped Amperage to 240A
Infinite Wire Feed Speed
Dual Gas or Gasless, Flowgauge & Hose Included
Up to .045" Wire
Tweco® #2-Series Consumables
155A @ 60% Duty Cycle
Spool Gun Ready, See Optional Bundles
240 lbs.
Dual Cylinder Trolley #328, Optional

Forney

Toggle Between MIG Gun
and Spool Gun Applications



#327 Shown

Transformer Technology

Additional Features

Dual MIG Operation - MIG & Spool Gun
30' Operating Envelope
15' MIG Gun, Work Clamp, Power Cord
Fold Down Door for Easy Access
Digital Meter
BBT - Burn Back Time Control
Slope Control - 0.25 to 1.6 Seconds
Welding Mode: 2T/4T Trigger Control
Spot Welding Timer
Cast Aluminum Wire Drive System



Spool Gun Bundle
Optional
Components

Hornet® Spool Gun
#85620



Basic Spool Gun
#85650



Extra Flowgauge
#85662



Dual Cylinder Trolley
#328



\$150/\$175

GREENBACK

See Page 3 for
Complete Details



CV/DC/1ph

5/3/1
WARRANTY

GREENBACK

CAT#	DESCRIPTION	WELDER	SPOOL GUN	EXTRA FLOWGAUGE with 10' Hose	DUAL CYLINDER TROLLEY	
327	242 DUAL MIG, MIG ONLY, 240A 240V	242 DUAL MIG	-	-	-	
87005	242 DUAL MIG, HORNET™ SG BUNDLE	242 DUAL MIG	85620 Hornet™	85662	-	
87006	242 DUAL MIG, HORNET™ SG TROLLEY BUNDLE	242 DUAL MIG	85620 Hornet™	85662	328	
87007	242 DUAL MIG, BASIC SG BUNDLE	242 DUAL MIG	85650 Basic	85662	-	
87008	242 DUAL MIG, BASIC SG TROLLEY BUNDLE	242 DUAL MIG	85650 Basic	85662	328	

270 MIG

Weld to 1/2"
240V Input
10-Tapped Amperage to 270A
Infinite Wire Feed Speed
Single Gas or Gasless, Flowgauge & Hose Included
Up to .045" Wire
Tweco® #2-Series Consumables
200A @ 60% Duty Cycle
Spool Gun Ready, See Optional Bundles
240 lbs.
Dual Cylinder Trolley #328, Optional

Forney



#319 Shown

Transformer Technology

\$150

GREENBACK

See Page 3 for
Complete Details

Additional Features

30' Operating Envelope
15' MIG Gun, Work Clamp, Power Cord
Fold Down Door for Easy Access
Digital Meter
BBT - Burn Back Time Control
Slope Control - 0.25 to 1.6 Seconds
Welding Mode: 2T/4T Trigger Control
Spot Welding Timer
Cast Aluminum Wire Drive System



Spool Gun Bundle
Optional
Components

Hornet® Spool Gun
#85620



Basic Spool Gun
#85650



Extra Flowgauge
#85662



Dual Cylinder Trolley
#328



CV/DC/1ph

5/3/1
WARRANTY

GREENBACK

CAT#	DESCRIPTION	WELDER	SPOOL GUN	EXTRA FLOWGAUGE with 10' Hose	DUAL CYLINDER TROLLEY	
319	270 MIG, 270A 240V	270 MIG	-	-	-	
87001	270 MIG, HORNET™ SG BUNDLE	270 MIG	85620 Hornet™	-	-	
87002	270 MIG, HORNET™ SG TROLLEY BUNDLE	270 MIG	85620 Hornet™	85662	328	
87003	270 MIG, BASIC SG BUNDLE	270 MIG	85650 Basic	-	-	
87004	270 MIG, BASIC SG TROLLEY BUNDLE	270 MIG	85650 Basic	85662	328	

MULTI PROCESS WELDERS - MIG, STICK, DC-TIG, and SPOOL GUN

140MP

EASY WELD™

Weld to 3/8"
Easy to Use
120V, 30A Recommended
Infinite Amperage
and Wire Feed Speed Adjustment
14" Operating Envelope
Integrated Cable Wrap
Light-weight, just 20.3 lbs.
Gas Flowgauge Sold Separately
Not Spool Gun Compatible



ITEM# 261

Inverter Technology

\$60

GREENBACK

See Page 3 for Complete Details



CCCV/DC/1ph

CAT#	DESCRIPTION
271	140MP, 140A 120V
87019	140MP, 9FV DC-TIG BUNDLE

Process Features

GMAW Ready

No Gas Required, Gas Optional
Built-in Gas Solenoid
MIG Gas Flowgauge Sold Separately
Up to .030" Solid Wire
.030" Flux-Cored Wire
Optional .023"- .030" V-Groove / Knurled Drive Roll, #78008 (sold separately)
Metallic, Two-Drive Roll, Feeder
4" or 8" Wire Spools
Tweco® Compatible #1 Consumables

SMAW Ready

Easy Start, Built In Hot Start
Up to 1/8" Electrodes



Optional 100704

Flowgauge with 10' Hose

GTAW - DC TIG Capable

DC TIG, Scratch Start

DC- TIG, Optional, 9V TIG Torch & Flowmeter Sold Separately or Bundle

9V TIG Torch, #85657

140MP with 9FV DC-TIG Package, #87019

Argon/CO2 Flowmeter, #100639

190MP



Sell Up from 140A

Weld to 3/8", 240V
Easy to Use
120/240V Dual Voltage Input Power
Infinite Amperage and Wire Feed Speed Adjustment
Digital Meters
TruSet™ MIG - Automatically Sets Weld Parameters
Auto-Detect Accessory Connection i.e. Spool Gun
18" Operating Envelope
Integrated Cable Wrap
Light-weight, just 31 lbs.



ITEM# 323

ITEM# 323

Inverter Technology

\$75

GREENBACK

See Page 3 for Complete Details



CCCV/DC/1ph

CAT#	DESCRIPTION
323	190MP, 190A 120/240V
87020	190MP, 17FV DC-TIG BUNDLE

Process Features

GMAW Ready

Built-in Gas Solenoid
Up to .035" Solid Wire
Up to .035" Flux-Cored Wire
Up to 500 IPM WFS
Metallic, Two-Drive Roll, Feeder
4" or 8" Wire Spools
Tweco® #1-Series Consumables
Gas Flowgauge Included

SMAW Ready

Easy Start, Built In Hot Start
Up to 5/32" Electrodes

GTAW - DC TIG Capable

DC TIG, Scratch Start

190MP with 17FV DC-TIG Package, #87020

Optional TIG Accessories, Sold Separately

9V TIG Torch, #85657

Argon/CO2 Flowmeter, #100739

SPOOL GUN - Capable, Sold Separately



#85620
HORNET™



#85650
Basic

190ACDC MP



Weld to 3/8", 240V
Inverter Power Source
120/240V
Generator Friendly, Stable Arc
18" Operating Envelope
Dual Gas Solenoids
Integrated Cable Wrap
Steel Construction
Built-In Tool Holders
46 lbs.

ACDC TIG
HF or Lift Start
Hz and Balance
Pulse TIG

TruSet™ MIG



Inverter Technology



ITEM# 300

MIG, Stick, and TIG Ready

\$100

GREENBACK

See Page 3 for Complete Details



CCCV/ACDC/1ph

CAT#	DESCRIPTION
300	190 ACDC MP, 190A 120/240V

Process Features

GMAW Ready

TruSet™ MIG Ready
Up to .035" Solid or FC Wire
Up to 500 IPM WFS
Patented Set and Forget Despooler
Patent No.12,024,393 B2
4" or 8" Wire Spools
Tweco® #1-Series Consumables
Gas Flowgauge Included
Metallic, Two-Drive Roll, Feeder

SMAW Ready

Easy Start, Built In Hot Start
Up to 5/32" Electrodes

GTAW - ACDC TIG Ready

HF or Lift Start
Stable Arc to down to 10 Amps
AC (Hz) Frequency 60-120 Hz
AC (%EN) Balance 50-90%
Pulse TIG from 0.1 to 100 PPS
Amptrol® torch capable


SPOOL GUN - Capable, Sold Separately



#85620
HORNET™



#85650
Basic



Digital Control Panel

1. Process Selector
2. Over-Temp Indicator
3. Duty Cycle Indicator
4. Output Fault Indicator
5. AC Settings
6. Pulse TIG Settings
7. Left Control Knob - Voltage, Amps, and Trim
8. Right Control Knob - WFS, Wire, Gas and Plate

Includes

- 190MP Welder
- Foot Pedal
- 12' 17-Series TIG Torch
- 10' MIG Gun with Euro Connect
- 8' Ground Cable and Clamp
- 8' Electrode Holder
- 240-120V Adaptor Cord
- 6' Gas Hose and Flowgauge Regulator
- 0.030" & 0.035" Contact Tips

MULTI PROCESS WELDERS - MIG, STICK, DC-TIG, and SPOOL GUN

220MP



#410 Shown

Weld to 1/4", 240V
Easy to Use
Multi-Voltage Input, 120/240V
Intuitive Parameter Setup
200A @ 40% Duty Cycle
Dual Gas Solenoids
Temperature Controlled Fan
Actual Infinite Amperage and Wire Feed Speed Adjustment
27" Operating Envelope
Integrated Cable Wrap
Robust, just 51 lbs.

Inverter Technology



CCCV/DC/1ph



GREENBACK

\$100
GREENBACK

See Page 3 for Complete Details

CAT#	DESCRIPTION	
410	220MP, 220A 120/240V	
87009	220MP, HORNET™ SG BUNDLE	
87010	220MP, BASIC SG BUNDLE	
87021	220MP, 17F DC-TIG BUNDLE	
87022	220MP, 17F AMPCTRL DC-TIG BUNDLE	

Process Features

GMAW Ready

Up to .035" Solid Wire
.035" Flux-Cored Wire
Metallic, Two-Drive Roll, Feeder
4" or 8" Wire Spools
Tweco® #2-Series Consumables
Spool Gun Optional, Auto-Connect, See Bundles

SMAW Ready

Easy Start, Built In Hot Start
Up to 5/32" Electrodes

GTAW - DC TIG Capable

DC TIG, Lift Start
Optional TIG Accessories, Sold Separately or Bundle

17FV TIG Torch, #85659
TIG Foot Pedal, #85655
Argon/CO2 Flowmeter, #100639

SPOOL GUN - Sold Separately or in Bundles

#85620
HORNET™#85650
Basic

250MP PRO



#415 Shown

\$200/\$100
GREENBACK

See Page 3 for Complete Details

Weld to 1/2" with 250 Amps
Intuitive LCD Screen
Inverter Power Source
120/240V
Generator Friendly, Stable Arc
30" Operating Envelope
Dual Gas Solenoids
Integrated Cable Wrap
Steel Construction
Built-In Tool Holders
Aluminum Legs and Handles
67.24 lbs.

Inverter Technology



CCCV/DC/1ph



GREENBACK

CAT#	DESCRIPTION	
415	Forney 250 MP, 250A 120/240V	
416	Forney 250 MP, 250A 120/240V with TIG Accessory Bundle	
417	Forney 250 MP, 250A 120/240V with Amptrol® TIG Bundle	
418	Forney 250 MP, 250A 120/240V with Hornet™ Spool Gun Package	
419	Forney 250 MP, 250A 120/240V with 250A Spool Gun Package	
11415	Forney 250 MP, 250A 120/240V with Dual Cylinder Cabinet Cart	
11416	Forney 250 MP, 250A 120/240V with TIG Accessory Bundle with Dual Cylinder Cabinet Cart	
11418	Forney 250 MP, 250A 120/240V with Hornet™ Spool Gun Package with Dual Cylinder Cabinet Cart	
11419	Forney 250 MP, 250A 120/240V with 250A Spool Gun Package with Dual Cylinder Cabinet Cart	

Process Features

GMAW Ready

TruSet™ MIG Ready
Up to .045" Solid & FC Wire
Metallic, Two-Drive Roll, Feeder
4", 8", or 12" Wire Spools
Tweco® #2-Series Consumables

SMAW Ready

Easy Start, Built In Hot Start
Up to 5/32" Electrodes

GTAW - DC TIG Capable

DC TIG, HF or Lift Start
Stable Arc to down to 10 Amps
AC (Hz) Frequency 60-120 Hz
AC (%EN) Balance 50-90%
Pulse TIG from 0.1 to 100 PPS
Preflow and Postflow Controls
Amptrol® torch capable, bundle

Optional TIG Accessories,
Sold separately or bundle
17FV TIG Torch, #85659
TIG Foot Pedal, #85655
Argon/CO2 Flowmeter, #100639

SPOOL GUN - Sold Separately or in Bundles

#85620
HORNET™#85650
Basic

LCD Control Panel

1. Selection Buttons - Color Coded
2. Secondary Parameter Knob
3. Process Selectors
4. Left Knob
5. Right Knob

Includes

250 MP Pro Welder
Pro-Grip MIG Torch, 250 Amp, 15 ft With Euro Backend
15ft Ground Clamp with Cable 250 Amp
15ft Electrode Holder with Cable 250 Amp
240V-120V adapter cord
Flowgauge with 10ft hose, CGA-580, 5/8 IN NPT
Contact Tips
Extra Drive Rolls

#11415
250MP
with Dual
Cylinder
CartSee Page 12
for Complete
Dual Cylinder
Cart Details

STICK and TIG WELDERS

100ST EASY WELD™

Weld to 5/16"
120V, 30A Recommended
Easy Start – Built In Hot Start
Handles Up to 1/8" Electrodes
DC TIG, Lift Start - *Capable*, Sold Separately
DC-TIG Package Sold Separately
100ST with 9FV DC-TIG Package #87014
14' Operating Envelope
Integrated Cable Wrap
Light-Weight, Just 9.65 lbs.



Inverter Technology

\$40/\$30



See Page 3 for Complete Details

CAT#	DESCRIPTION
298	100ST, 95A 120V
87014	100ST, 9FV DC-TIG BUNDLE

180ST+ Forney

Weld to 1/2" with 180 amps
Easy Start – Built In Hot Start
SMAW Stick (Pulse), Up to 5/32" Electrodes
Digital Meters
Multi-Voltage Input, 120/240V
DC TIG (Pulse), Lift Start Optional - *Capable*, Sold Separately
180ST+ with DC-TIG Package #87015
Integrated Cable Wrap & Tool Holders
14' Operating Envelope
Light-weight, just 11.9 lbs.
Replaces #291 180ST



Inverter Technology

Excellent Performance

E6010, E6011, E6013, E7014 & E7018 Electrodes

\$30



See Page 3 for Complete Details

CAT#	DESCRIPTION
321	180ST+, 95A 120V
87015	180ST+, 17FV DC-TIG BUNDLE

235 ACDC Forney

Weld to 1/2" with 235 amps
Easy Start
Handles Up to 5/32" Electrodes
240V, 50A Recommended
Operate at 40-235A AC or 35A-185A DC
Duty Cycle: 50% @ 150A AC or 20% @ 235A DC
Max OCV: 72VAC 63VDC
Integrated Cooling Fan
108 lbs.



#314 Shown with Optional #330 Wheel and Handle Kit

#330 Handle and Wheel Kit for #314

Transformer Technology



CAT#	DESCRIPTION
314	235/180 ACDC
330	#314 HANDLE AND WHEEL KIT

\$120

See Page 3 for Complete Details

220ST PRO Forney

Weld to 1/2"
Multi-Voltage Input, 120/240V
Intuitive Parameter Setup
Actual Infinite Amperage Adjustment
50mm Dinse® Connections
Temperature Controlled Fan
30' Operating Envelope
Internal Gas Solenoid
Integrated Cable Wrap
Robust, just 32 lbs.
IP21S Rated



Pulse DC-TIG
HF On/Off
Arc Force Control
Advanced Features

Inverter Technology



CAT#	DESCRIPTION
430	220ST PRO, 220A 120/240V
87016	220ST PRO, 17F DC-TIG BUNDLE
87017	220ST PRO, 17F AMPPTROL DC-TIG BUNDLE

Process Features

SMAW Ready
Stick Ready
Easy Start – Stick Free Starts
Up to 5/32" Electrodes



GTAW - DC TIG Capable

DC TIG, HF or Lift Start Capable
Stable Arc to 5 Amps
Foot Pedal, Auto-Connect
Optional TIG Accessories, Sold Separately
17F TIG Torch, #85658
17F Amptrol® TIG Torch, #85660
TIG Foot Pedal, #85655
Argon/CO2 Flowmeter, #100639

Advanced Features

- Arc Force Controls DIG or Wetting Characteristics of Electrodes
- HF On/Off
- Pulse Welding Ready from 0.1 to 30 Pulses-Per-Second Increasing Puddle Agitation, Arc Stability, and Travel Speed While Reducing Heat and Distortion.

220ST with 17F DC-TIG Package, #87016
220ST with 17Amptr® DC-TIG Pkg, #87017

\$460

See Page 3 for Complete Details

220 ACDC Forney

Weld to 1/2" with 220 amps
120/240V, 50A Recommended
Generator Friendly, Stable Arc
14' Operating Envelope
Integrated Cable Wrap
Steel Construction
Cast Aluminum Legs and Handles
Internal Gas Solenoid
Light-Weight, Just 9.65 lbs



Pulse ACDC TIG
Advanced Features

Inverter Technology



CAT#	DESCRIPTION
420	220 ACDC 200A, 17F 120/240A
421	220 ACDC 200A, 17 AMPPTROL® BUNDLE

Process Features

GTAW - ACDC TIG Ready
17-Series TIG Torch
ACDC TIG, HF Start
DC TIG, HF or Lift Start
Stable Arc to 5 Amps
Foot Pedal, Auto-Connect
Amptr® Torch Optional



SMAW Ready

Stick Ready
Easy Start – Stick Free Starts
Up to 5/32" Electrodes

Advanced Features

- HF On/Off
- AC (Hz) Frequency 40-240 Hz
- AC (%EN) Balance, % Time Polarity spends in EN, 40-80%.
- Pulse Welding Ready from 0.1 to 30 Pulses-Per-Second Increasing Puddle Agitation, Arc Stability, and Travel Speed While Reducing Heat and Distortion.

\$330

See Page 3 for Complete Details

MIG GUNS and SPOOL GUNS

Easy Weld[®] MIG GUNS

MODEL #	CAT#	AMPERAGE	DUTY CYCLE	FORNEY WELDER	FRONT/BACK
X150-3035FC-10	78009	150A	60% @ 125A	140FCI	Tweco [®] /Hardwire
X150-3035-10	78010	150A	60% @ 125A	140MP (EW)	Tweco [®] /Euro

PROGRIP[™] MIG GUNS

MODEL #	CAT#	AMPERAGE	DUTY CYCLE	FORNEY WELDER	FRONT/BACK
X150-3035-10	84094	180A	60% @ 125A	140MIG, 190MIG 140MP(F), 190MP(F)	Tweco [®] /Euro
X180-3035-10 FLEX	85606	180A	60% @ 180A	140MP(EW), 140MIG, 190MIG, 190MP	Tweco [®] /Euro
X200-3035-15	84095	200A	60% @ 200A	210 MIG, 220MP	Tweco [®] /Euro
X250-3035-15	84096	250A	60% @ 250A	242 MIG, 270 MIG	Tweco [®] /Euro
TW180-3035-10	100790	180A	60% @ 125A	-	Tweco [®]
TW250-3035-15	100408	250A	60% @ 250A	-	Tweco [®]
TW400-3545-15	100412	400A	60% @ 400A	-	Tweco [®]

Spool PRO[™] Hornet SG 250[™]

MIG (GMAW)
Aluminum or Stainless Steel Welding
Tweco[®] Compatible 14H Series Consumables
25' Cable
8 Lbs. without Filler Metal Spool



Assembled in Fort Collins, CO USA
US Patent No. D939,940



CAT#	DESCRIPTION
85620	SPOOL PRO HORNET SG 250

250A SPOOL GUN

MIG (GMAW)
Aluminum or Stainless Steel Welding
Tweco[®] Compatible 14H Series Consumables
20' Cable
11 Lbs. without Filler Metal Spool



CAT#	DESCRIPTION
85650	250A SPOOL GUN

Specifications

300A Max Output
220A @ 60% Duty Cycle
.030" to .047" Wire Diameters



Features:

Thumb Adjustment, 1000 IPM WFS
Revolutionary Ergonomic Design
.035" and .047" Grooved Drive Roll
Rapid Spool Change
Lock-Away Spool Brake
Spool Life Indicator
360° Swivel Neck
Integrated Model Selector Switch

What Forney[®] Welders Can Use these New Spool Guns?

#85620 and #85650 are Compatible with ALL Forney [®] , Euro-connect, Spool-Gun- Capable, Machines Only.	210 MIG 220MP 242 Dual MIG 270 MIG	190MP (New) 190MP (Pre-2020)
---	---	---

Not Compatible with Competitive Welding Machines

Specifications

250A Max Output
200A @ 60% Duty Cycle
.030" to .047" Wire Diameters



Features:

1000 IPM WFS
.030" and .040" Grooved Drive Roll
Hinged Spool Cover
Removable Torch Neck
Integrated Model Selector Switch

7-in-1 MIG Wire Pliers



85801

WELDING EQUIPMENT ACCESSORIES

FORNEY® DRIVE ROLLS

Drive Rolls are Specific to Forney Brand Welding Machines



DRIVE ROLL TYPE	WELDER	WIRE TYPE	CAT#
V-Groove .023-.030	140MP(EW) 190MP, 220MP	Solid	78038
Knurled .030-.035	140FCi	Flux-Core	78007
V-Groove / Knurled .030-.035	140MP(EW) 190MP, 220MP	Solid/Flux-Core	78008
V-Groove .023-.030		Solid	85518
V-Groove .030-.035		Solid	85504
U-Groove .030-.035	140 190 210 242	Aluminum	85505
V-Groove .035-.045	270 MIG	Solid	85509
U-Groove .035-.045		Aluminum	85502
Knurled .035-.044		Flux-Core	85501
Knurled .052-1/16	242/270 MIG	Flux-Core	85519

GROUND AND ELECTRODE ASSEMBLY

MODEL	AMPERAGE	CAT#
Ground Cable & Clamp 15'	150A	85667
Ground Cable & Clamp 15'	250A	85668
Electode Holder & Cable 15'	150A	85669
Electode Holder & Cable 15'	250A	85670



DUAL CYLINDER CART for Forney Welding Machines

CAT#
347



Welding Cart Accessories



Medium 150CF Welding Cart
Cat# 343



Large 250CF Welding Cart
Cat# 345



Carts, Cylinders, Welders and Compressors Sold Separately

POWER ADAPTORS

#78040 - 20A to 15A

#78036 - 240V to 120V



CAT#
78036
78040

RUNNING GEAR



CAT#
328
330
332
89550
89555
343
345
34501
34301

TWECO® AND MILLER®/HOBART® STYLE WELDING CONSUMABLES

TWECO® Compatible with All Forney 200, 300 and 400-Series Welders as Applicable

Tip Types (14-Series Shown)
Standard**Heavy Duty**

Note: Pictures are for reference only, not actual size.

CONTACT TIPS

Compatible with	Model #	Cat#	Diameter	Quantity
TWECO®	11-23	120000	0.023"	10
TWECO®	11-30	120002	0.030"	10
TWECO®	11-35	120004	0.035"	10
TWECO®	11-45	120006	0.045"	10
TWECO®	14-23	120008	0.023"	10
TWECO®	14-30	120010	0.030"	10
TWECO®	14-35	120012	0.035"	10
TWECO®	14-45	120014	0.045"	10
TWECO®	14H-35	101311	0.035"	10
TWECO®	14H-35	100311	0.035"	25
TWECO®	14H-45	101313	0.045"	10
TWECO®	14H-45	100313	0.045"	25
MILLER®/HOBART®	087-299	120040	0.023"	10
MILLER®/HOBART®	000-067	120042	0.030"	10
MILLER®/HOBART®	000-068	120044	0.035"	10
MILLER®/HOBART®	000-069	120046	0.045"	10

DIFFUSERS

Compatible with	Model #	Cat#	Use With	Quantity
		85342	125FC / 140FCI	1
TWECO®	35-50	120028	Tweco® Mini™	2
TWECO®	51	120030	Tweco® #1	2
TWECO®	52	120032	Tweco® #2	2
TWECO®	52FN	120034	Tweco® #2	2
MILLER®/HOBART®	169-716	120048	Diffuser/	2
MILLER®/HOBART®	169-128	120050	Tip Adaptor	2
MILLER®/HOBART®	169-729	120052	Retainer	2

INSULATORS

Compatible with	Model #	Cat#	Amperage	Quantity
TWECO®	32	120036	250	2
TWECO®	34A	120038	400	2

FLEX NECK CONDUCTOR TUBE Compatible with Forney Flex Neck 180A MIG GUN # 85606, see page 10

Compatible with	Model #	Cat#	Amperage	Duty Cycle
85606 MIG Gun	Flex Neck	85605	180	60% @ 180A

LINERS

Compatible with	Model #	Cat#	Description	Quantity
Binzel®	124.0015	101202	15', .024-.035	1
Binzel®	124.0942	100202	15', .035-.045	1
TWECO®	23-40-15	100351	15', .023	1
TWECO®	35-40-15	100352	15', .035	1
TWECO®	45-40-15	100353	15', .045	1
TWECO®	42-23-15	100354	15', .023	1
TWECO®	42-3035-15	100355	15', .030-.035	1
TWECO®	42-4045-15	100356	15', .040-.045	1
TWECO®	42N-3545-15	100357	15', .035-.045	1

NOZZLES

Compatible with	Model #	Cat#	Diameter	Quantity
TWECO®	21-50	120016	1/2"	2
TWECO®	21-62	120018	5/8"	2
TWECO®	22-50	120020	1/2"	2
TWECO®	22-62	120022	5/8"	2
TWECO®	23-50	120024	1/2"	2
TWECO®	23-62	120026	5/8"	2
MILLER®/HOBART®	169-715	120054	Flush, 1/2"	2
MILLER®/HOBART®	169-724	120056	1/2"	2
MILLER®/HOBART®	169-725	120058	5/8"	2

Disclaimer: Cross Reference to competitor's models may have a slight difference in some specifications yet are deemed compatible. Tweco® is a registered trademark of ESAB®. Lincoln® is a registered trademark of Lincoln Electric Company®. Miller®, Hobart® and Bernard® are registered trademarks of Illinois Tool Works®. Lenco® is a registered trademark of Profax®. Hypertherm® is a registered trademark and brand of Hypertherm Associates. Competitive trademarks are in no way affiliated with Industrial Pro®. We reserve the right to change specifications without notice. Note: Pictures are for

ELECTRODE HOLDERS

TWECO® STYLE



Model#	Cat#	Amperage		
A-532	100576	200A		
A-316	100578	250A		
A-732	100580	300A		

LENCO® STYLE



Model#	Cat#	Amperage		
AF-2	100575	250A		
AF-25	100577	300A		
AF-3	100579	350A		
200A	56000	200A		
300A	56200	300A		

ECONOMY



GROUND CLAMPS

EG SERIES



Model#	Cat#	Amperage		
EG200	100479	200A		
EG300	100480	300A		
EG500	100481	500A		
LPG300	100483	300A		
LPG500	100484	500A		

LPG SERIES



LGC SERIES



Model#	Cat#	Amperage		
LGC200	100485	200A		
LGC300	100486	300A		
LGC500	100487	500A		
MSG500	100488	500A		

MSG SERIES, MAGNETIC



CABLE & DINSE CONNECTORS

CABLE CONNECTOR - SETS



Model#	Cat#	Description		
LC-10	100454	#4-#1, 250A		
LC-40	100455	1/0-2/0, 350A		
LC-40HD	100456	3/0-4/0, 500A		

GROUND AND ELECTRODE LEADS, with DINSE® CONNECTIONS

Model #	Cat#		
Ground Cable & Clamp 15', 150A, 25mm	85667		
Ground Cable & Clamp 15', 250A, 50mm	85668		
Electrode Holder & Cable 15', 150A, 25mm	85669		
Electrode Holder & Cable 15', 150A, 50mm	85670		



ELECTRICAL PLUGS & RECEPTACLES



57601



58499



58400



57602



58402



58401

Model#	Cat#	Rating		
CROWFOOT PLUG	57601	250V, 50A		
CROWFOOT RECEPTACLE	58499	220V, 50A		
PIN-TYPE PLUG	57602	230V, 50A		
WALL RECEPTACLE	58402	220V		

POWER ADAPTORS



Type	Cat#		
240V to 120V	78036		
20A to 15A	78040		

www.industrialpro.net

See Industrial Pro Website for Additional Air Accessories

AIR COMPRESSOR ACCESSORIES



89095




75325



75430

Description	Cat#		
Replacement Air Filter for Fornair™ 550 Air Compressors	89095		
5-Piece Industrial/Milton Style Value Pack, 1/4 in	75325		
Air Hose, Red Rubber, 1/4 in x 25ft	75430		
Deluxe Blowgun Kit	75529		
Dual Foot Chuck, 6 in	75349		

WWW.INDUSTRIALPRO.NET



TIG TORCHES (for Forney Welding Machines)



FORNEY® TIG TORCHES

Forney Welder Amphenol Pin Configurations

Model #	Cat#	Use with	Description		
9FV	85657	100ST, 140MP(EW)	9FV TIG TORCH PKG		
17F	85658	220MP, 220 ACDC	17F TIG TORCH PKG		
17FV	85659	180ST	17FV TIG TORCH PKG		
17FV	85654	140MP(F), 190MP(F)	17FV TIG TORCH PKG		
17F	85660	220 ACDC, 220ST Pro	17F AMPTROL® TIG TORCH PKG		


FORNEY® TIG FOOT PEDALS

Model #	Cat#	Description		
Foot Pedal	85655	FOOT PEDAL FOR FORNEY WELDERS		



TUNGSTEN ELECTRODES

TUNGSTEN ELECTRODES ANSI/AWS A5.12, ASME/SFA



Type	Cat#	Description		
EWCE-2	100556	EWCE-2 CERIATED TUNGSTEN 1/16 X 7IN (10 PK)		
Grey formerly	100557	EWCE-2 CERIATED TUNGSTEN 3/32 X 7IN (10 PK)		
Orange	100558	EWCE-2 CERIATED TUNGSTEN 1/8IN X 7IN (10 PK)		
EWLA-1.5	100561	EWLA-1.5 LANTHANATED TUNGSTEN 1/16IN X 7IN (10 PK)		
Gold	100562	EWLA-1.5 LANTHANATED TUNGSTEN 3/32IN X 7IN (10 PK)		
	100563	EWLA-1.5 LANTHANATED TUNGSTEN 1/8IN X 7IN (10 PK)		
EWZR	100570	EWZR-1 ZIRCONIATED TUNGSTEN 1/16IN X 7IN (10 PK)		
Brown	100571	EWZR-1 ZIRCONIATED TUNGSTEN 3/32IN X 7IN (10 PK)		
	100572	EWZR-1 ZIRCONIATED TUNGSTEN 11/8IN X 7IN (10 PK)		



DEVELOPED • TESTED • TRUSTED
Fort Collins, Colorado USA

We Continue To Expand Our Porfolio With Innovative Products Offering Solutions to Today's Market Demands. Some Even Get Final Assembled and 100% Tested in Our Hometown on the Front Range, Like Our 400-Series Welders & Plasma Machines and Now Our New Hornet® Spool Gun.



TIG TORCH CONSUMABLES AND PARTS




9 SERIES TIG TORCH

HW9

Hand-Held, Air-Cooled TIG Torch
125 Amps AC or DC @ 60% Duty Cycle
Uses 0.20" to 5/32" Tungsten Electrodes
75 Degree Head, HW9 Variable Flex Head

Applications:

Fabrication, Maintenance & Repair,
Manufacturing, Shipbuilding, Vocational,



9 SERIES TIG TORCH ASSEMBLY

Type	Model #	Cat#	Description	Quantity
Flex & Valve	9FV-25R	101042	TIG Torch Assembly 150A 25' 1-Pc Rubber Cable Flex Head & Valve	1

9 SERIES TIG TORCH ACCESSORIES

Ref #	Model #	Cat#	Description
Accessory Kit	AK-1	101047	ACCESSORY KIT #1: HW9 1 LONG BACK CAP, 2 COLLETS (.040, 1/16), 2 COLLET BODIES (.040, 1/16), 3 NOZZLES (4,5,6), 2 7" 2% CERIATED TUNGSTEN (.040, 1/16) – AK-1



Standard Collet #4	13N20	100838	0.020"	5
	13N21	100839	0.040"	5
	13N22	100842	1/16"	5
	13N23	100844	3/32"	5
	13N24	100846	1/8"	5
Standard Collet Body #5	13N25	100848	0.020"	5
	13N26	100849	0.040"	5
	13N27	100850	1/16"	5
	13N28	100851	3/32"	5
	13N29	100852	1/8"	5
Alumina Nozzle Cups #6	13N08	100827	#4 1/4"	10
	13N09	100828	#5 5/16"	10
	13N10	100829	#6 3/8"	10
	13N11	100830	#7 7/16"	10
	13N12	100831	#8 1/2"	10
	13N13	100832	#10 5/8"	10

9 SERIES TIG TORCH PARTS

Ref #	Model #	Cat#	Description	Quantity
Back Caps #1	41V24	100938	Long	1
	41V35	100946	Medium	1
	41V33	100945	Short	1
Torch Body #2A	9FV	101038	150A Torch Body with Flex Head and Valve	1
Nozzle Gasket #3	598882	101026	Nozzle Gasket	1
Power Cable #8	57Y03R	101024	Power Cable, 25' 1-Pc Rubber, 3/8"-24(M) x	1
Handle #9	H100R	101052	Handle, Ribbed Push On HW9, 17	1
Heat Shield #10	105Z57	100805	Adaptor, Power Cable HW9, 17	1

Disclaimer: Cross Reference to competitor's models may have a slight difference in some specifications yet are deemed compatible. Competitive trademarks are in no way affiliated with Industrial Pro®. We reserve the right to change specifications without notice.

Note: Pictures are for reference only, not actual size.


TIG TORCH CONSUMABLES AND PARTS

17 SERIES TIG TORCH
HW17

Hand-Held, Air-Cooled TIG Torch
150 Amps AC or DC @ 60% Duty Cycle
Uses 0.20" to 5/32" Tungsten Electrodes
75 Degree Head, HW17 Variable Flex Head

Applications:

Fabrication, Maintenance & Repair,
Manufacturing, Shipbuilding, Vocational, DIY

**17 SERIES TIG TORCH ASSEMBLY**

Type	Model #	Cat#	Description	Quantity		
Flex & Valve	17FV-25R	100868	TIG Torch Assembly 150A 25' 1-Pc Rubber Cable Flex Head & Valve	1		

17 SERIES TIG TORCH ACCESSORIES


Ref #	Model #	Cat#	Description		
Accessory Kit	AK-2	101048	ACCESSORY KIT #2: HW17 1 SHORT BACK CAP, 3 COLLETS (.040, 1/16, 3/32), 3 COLLET BODIES (.040, 1/16, 3/32), 3 NOZZLES (4,5,6), 3 7" 2% CERATED TUNGSTEN (.040, 1/16, 3/32) – AK-2		

17 SERIES TIG TORCH CONSUMABLES


Ref #	Model #	Cat#	Diameter	Quantity		
Standard Collet #4	10N21	100807	0.020"	5		
	10N22	100808	0.040"	5		
	10N23	100809	1/16"	5		
	10N24	100811	3/32"	5		
	10N25	100813	1/8"	5		
Standard Collet Body #5	10N29	100816	0.020"	5		
	10N30	100817	0.040"	5		
	10N31	100818	1/16"	5		
	10N32	100819	3/32"	5		
Alumina Nozzle Cups #6	10N50	100826	#4 1/4"	10		
	10N49	100825	#5 5/16"	10		
	10N48	100824	#6 3/8"	10		
	10N47	100823	#7 7/16"	10		
	10N46	100822	#8 1/2"	10		
	10N45	100821	#10 5/8"	10		
	10N44	100820	#12 3/4"	10		

17 SERIES TIG TORCH PARTS


Ref #	Model #	Cat#	Description	Quantity		
Back Caps #1	57Y02	101022	Long	1		
	300M	100919	Medium	1		
	57Y04	101025	Short	1		
Torch Body #2A	17FV	100864	150A Torch Body with Flex Head and Valve	1		
Nozzle Gasket #3	18CG	100880	Nozzle Gasket	1		
Power Cable #8	57Y03R	101024	Power Cable, 25' 1-Pc Rubber	1		
Handle #9	H100R	101052	Handle, Ribbed Push On HW9, 17	1		



PLASMA TORCHES and CONSUMABLES - Forney® Plasma Cutters



Forney®
20P, Flex™ 30 and 40P Consumables



Forney®
45P

Hypertherm®
Compatible Plasma
Consumables

Proper Consumable Pairing is Critical
to Ensure Plasma Cutting
Performance. Do Not Mix
Consumables.

IMPORTANT:
Forney brand 5-Digit Plasma Part
Numbers may differ from IP 6-Digit Part
Numbers in Quantity Per Pack and Price.
Reference to 5-Digit Part Numbers is for
convenience purposes and quick
reference to catalogs.


APPLICATION	#	CONSUMABLE TYPE	AMPERAGE	LENGTH SIZE	PLASMA MACHINE	CAT #	QTY PER PACK		
DRAG-CUTTING	2	SHIELD CAP	40		40P	140006 (85686)	1		
			40		40P	140005 (85685)	1		
	3	SHIELD CUP/DEFLECTOR	30-40		40P, Flex™ 30	140004 (85681)	1		
			20		20P	140007 (85394)	1		
	4	CUTTING NOZZLE / TIP	40	0.90mm	40P	140002 (85684)	5		
			30-40	0.90mm	40P, Flex™ 30	140001 (85679)	5		
			30-40	0.80mm	40P, Flex™ 30	140000 (85678)	5		
			20	0.65mm	20P	85414	2		
	6	SWIRL RING	20-40		40P, Flex™ 30, 20P	140008 (85393)	1		
	8	O-RING	20-40		40P, Flex™ 30, 20P	85492	1		
	7	ELECTRODE	20-40		40P, Flex™ 30, 20P	140003 (85755)	5		
	1	SHIELD, HAND	45	220818	45P Pro	85939	1		
	9	RETAINING CAP	45	220854	45P Pro	85936	1		
	13	CUTTING NOZZLE / TIP	45	220941	45P Pro	85931	5		
	20	SWIRL RING	45	220857	45P Pro	85943	1		
PRECISION CUT	23	ELECTRODE	45	220842	45P Pro	85927	5		
		ELECTRODE HOLDER	45		45P Pro	One Included with #85927			
	7	SHIELD, HAND	45	220931	45P Pro	85925	1		
	9	RETAINING CAP	45	220854	45P Pro	85936	1		
	19	CUTTING NOZZLE / TIP	45	220930	45P Pro	85930	5		
	22	SWIRL RING	45	220947	45P Pro	85942	1		
GOUGING	23	ELECTRODE	45	220842	45P Pro	85927	5		
		ELECTRODE HOLDER	45		45P Pro	One Included with #85927			
	4	SHIELD, HAND	26-45	220798	45P Pro	85937	1		
	9	RETAINING CAP	26-45	220854	45P Pro	85936	1		
	16	CUTTING NOZZLE / TIP	26-45	220797	45P Pro	85932	5		
	20	SWIRL RING	26-45	220857	45P Pro	85943	1		
KITS		45P STARTER KIT - 8pc PLASMA KIT	45		45P Pro	85944	8		
		40P - 15pc PLASMA KIT	30-40		40P	85677	15		
		40P - 13pc PLASMA KIT	30-40		40P	85676	13		
		Flex™ 30 - 13pc PLASMA KIT	30-40		40P, Flex™ 30	85675	13		
		20P - 13pc PLASMA KIT	20		20P	85674	13		
		20P - 4pc PLASMA KIT	20		20P	85392	4		
ACCESSORIES		FORNEY® IGNITE™ TORCH, 45P		20'	45P Pro	85949	1		
		FORNEY® IGNITE™ TORCH, 45P		50'	45P Pro	85950	1		
		FORNEY® TORCH, 40P, Euro	30-40	20'	40P	85680	1		
		FORNEY® TORCH, 20P, Hardwire	20	13'	20P	78011	1		
	1	STAND-OFF GUIDE			All	140009 (85682)	1		
		CIRCLE CUTTING ATTACHMENT			All	85683	1		

All Trademarks are the property of their respective owners. Industrial Pro® / Forney Industries is in no way affiliated with Hypertherm®. Hypertherm®, Powermax®, Duramax® and FineCut® are trademarks of Hypertherm Associates.

PLASMA TORCHES and CONSUMABLES - Hypertherm® Duramax® Compatible

Hypertherm® Compatible Plasma Consumables, Compatible with Powermax® 45, 65, and 105 with Duramax® Hand or Machine Torches

45/65/85A application



OPERATING NOTES

- a
Must be used only as a set of shield and nozzle, complete set is interchangeable and compatible with original parts.
- b
Must be used only as a set of shield, retaining cap, and nozzle, complete set is interchangeable and compatible with original parts.
- c
Must be used only as set of electrode and swirl ring, this complete set is interchangeable and compatible with original parts.
- d
Retaining cap up to 85 Amps.
For 105 Amps - retaining cap (11) Cat# 85935 has to be used. A different retaining cap is required for 105A versus 45/65/85A applications.
- 20c and 21c
Also possible to use with Precision Cut configuration, but for best results use (22) Cat# 85942 for improved consumable life, excellent cut quality, speed and/or better cost effectiveness of your system.

#	CONSUMABLE TYPE	OPERATING NOTES	REFERENCE #	CAT #	QTY PER PACK		
①	Shield 45/65/85A, Hand	a	220818	85939	1		
②	Shield 45/65/85A, Machine	a	220817	85948	1		
③	Deflector 45/65/85/105A		220955	85926	1		
④	Retaining Cap 45A Gouging	ab	220798	85937	1		
⑤	Shield 105A, Hand	b	220992	85938	1		
⑥	Shield 105A, Machine	b	220993	85940	1		
⑦	Deflector 45A, Precision Cut		220931	85925	1		
⑧	Shield 45A, Precision Cut Ohmic		220948	85947	1		
⑨	Retaining Cap Unshielded 45/65/85A	d	220854	85936	1		
⑩	Retaining Cap 45/65/85A, Ohmic	d	220953	85946	1		
⑪	Retaining Cap 105A	b		85935	1		
⑫	Retaining Cap 105A Ohmic	b		85945	1		
⑬	Nozzle 45A	a	220941	85931	5		
⑭	Nozzle 65A	a	220819	85933	5		
⑮	Nozzle 85A	a	220816	85934	5		
⑯	Nozzle 65/85A Gouging	a	220797	85932	5		
⑰	Nozzle 105A, Gouging	b	220991	85929	5		
⑱	Nozzle 105A	b	220990	85928	5		
⑲	Nozzle 45A Fine		220930	85930	5		
⑳	Swirl Ring 45/65/85A	c	220857	85943	1		
㉑	Swirl Ring 105A	c	220994	85941	1		
㉒	Swirl Ring 45A Fine	c	220947	85942	1		
㉓	Electrode 45/65/85/105A (5-Pack)	c	220842	85927	1 x 5		
Starter Kit, 45A				85944	1		
FORNEY® IGNITE™ TORCH				20'	85949	1	
FORNEY® IGNITE™ TORCH				50'	85950	1	

All Trademarks are the property of their respective owners. Industrial Pro® / Forney Industries is in no way affiliated with Hypertherm®. Hypertherm®, Powermax®, Duramax® and FineCut® are trademarks of Hypertherm Associates.

FORNEYHIDE™ WELDING GLOVES

SIGNATURE WELDING GLOVE

Premium Full Grain Palm and Back
Reinforced Thumb Crotch
Wetted Fingers
Padded Palm Patch Reinforcement
Heat and Abrasion Patches
High Performance Stitching
5" Safety Cuffs
Spark and Abrasion Resistant
Cotton Interlock Lining for Moisture Absorption



Size	Cat#
Large	53410
Xtra-Large	53411

PREMIUM HEAVY-DUTY GLOVE

Premium Side-Split Palm and Back
Reinforced Thumb Crotch
Wetted Fingers
Padded Palm Patch Reinforcement
Heat and Abrasion Patches
High Performance Stitching
5" Gauntlet Cuffs
Spark and Abrasion Resistant
Cotton Interlock Lining for Moisture Absorption



Size	Cat#
Large	53422
Xtra-Large	53423



SPLIT LEATHER WELDING GLOVE

Cotton Lined
Wetted Fingers
Wing Thumb
Gauntlet Cuff

ECONOMY WELDING GLOVE

Split Leather
Cotton Lined
Wetted Fingers
Wing Thumb
Gauntlet Cuff

GOATSKIN TIG WELDING GLOVE

Premium Full Grain
Unlined
Lightweight
Gauntlet Cuff



Description	Size	Cat#
Split Leather - Gray	Large	55200
	Xtra-Large	53429
Split Leather - Brown	Medium	53430
	Large	55206
Economy	Xtra-Large	53433
	Large	55199
Goatskin TIG	Xtra-Large	53435
	Large	55209
	Xtra-Large	55210

FORNEY FR WELDING JACKETS

Flame Retardant Light-Duty Welding Jacket
High-Quality 9-Ounce 100% Flame Retardant
Cotton and Certified 3M® Dupont Kevlar™
Stitching for Unparalleled Durability
Includes a Left Sleeve Scribe Pocket and an
Inside Abdominal Pocket for Convenient
Designed to Meet ASTM D6413-10 / F1506
Safety Standards,
Six Sizes Small – 3XL



Size	Cat#
Small	57222
Medium	57223
Large	57224
Xtra-Large	57225
2X-Large	57226
3X-Large	57227

MULTI-PURPOSE WELDING GLOVE

MIG, TIG or Stick
Premium Goatskin Palm and Back
Aluminized Mylar Back Layer
Lightweight, for up to 250A
Wetted Fingers
High Performance Stitching
Safety Cuffs



Size	Cat#
Medium	53412
Large	53413
Xtra-Large	53414

HIGH EFFICIENCY
DUAL CARTRIDGE HALF MASK
RESPIRATOR

P100



Ultra Low Profile • Large Inhalation and Exhalation Valves Reduce Fatigue • SAF-TWIST connection system with 3-position adjustment allows cartridge to fit under face shields and welding helmets • Ideal for protection against particulate matter to include; toxic dusts, mists and fumes, lead dusts and fumes, brake dusts, exotic welding, glass fibers and asbestos. (note: specific limitations apply for asbestos removal. Please see OSHA 1910.1001 for more details).

CAT#	DESCRIPTION
55905	P100 HALF MASK RESPIRATOR
55906	P100 CARTRIDGE & FILTER, REPLACE.



**P100 HIGH EFFICIENCY
REPLACEMENT CARTRIDGE AND FILTER
55906**

AUTO-DARKENING WELDING HELMETS

FORNEY PRO™

Lightweight
Arc Optics Technology 1/1/1/2
4-Sensors
3.9"x2.6" View
5-pt Adjustable Headgear with Dual Crown Strap
Grind Option
5-13 Variable Shade, 2A TIG
Internal Controls
1/25,000 Switching
Solar with 3V Lithium Replaceable Batteries
CS = Clamshell Package



Description	Cat#
Black Matte	55935
Camo	55936
Amped	55937
Warhawk	55938
Maple Leaf	55939

Replacement Parts

Description	Cat#
Outer Lens 20	55763
Inner Lens 5I	55764
Outer Lens 50	55765
Mix Lens 2I/30	55766
Headgear	55787

FORNEY

Black Matte
Lightweight
HD True Color Clarity 1/1/1/2
2-Sensors
3.6"x1.6" View
5-pt Adjustable Headgear with Dual Crown Strap
Grind Option
9-13 Variable Shade, 5A TIG
External and Internal Controls
1/25,000 Switching
Solar with 3V Lithium
Non-Replaceable Batteries
CS = Clamshell Package



Description	Cat#
Black Matte	55857
Forney 90th (NEW)	55865
Angler	55858
Scorch	55859
Smoking Rose (NEW)	55860
Valor	55861
Gerry Cheevers	55862
Lightning (NEW)	55864

Replacement Parts

Description	Cat#
Outer Lens 20	55759
Inner Lens 5I	55760
Outer Lens 50	55761
Mix Lens 2I/30	55762
Headgear	55786

FORNEY EASY WELD®

Black Matte
Lightweight
1/1/1/2 Clarity
2-Sensors
3.6"x1.6" View
5-pt Adjustable Headgear with Dual Crown Strap
Grind Option
9-13 Variable Shade, 5A TIG
External and Internal Controls
1/25,000 Switching
Solar with 3V Lithium Non-Replaceable Batteries
CS = Clamshell Package unless Noted



Perfect for:
✓ Novice Welders
✓ School/Trade Programs
✓ Students
✓ DIY

Description	Cat#	Price
Black Matte	55731	
	55731B	
<i>B=Boxed</i>		
Camo (NEW)	55735	
Velocity	55732	
	55732B	
<i>B=Boxed</i>		

Replacement Parts

Description	Cat#
Inner Lens 2I	55759
Inner Lens 5I	55760
Outer Lens 50	55761
Mix Lens 2I/30	55762
Headgear	55785

"CHEATERS" MAGNIFYING LENSES



MAGNIFYING LENSES - Fits All Standard Welding Helmets, 2"x4.25"

Description	Cat#
1.0 Diopter	55767
1.5 Diopter	55768
2.0 Diopter	55769
2.5 Diopter	55770

FACE SHIELDS

COMMAND PRO™



FACE SHIELDS with Ratchet Headgear

Description	Cat#
Headgear, Clear	58609
Headgear, Green	58610
Headgear Only	58611
Replacement Shield, Clear	58612
Replacement Shield, Green	58613

WELDING, CUTTING AND HEATING OUTFITS / KITS

TOTE-A-TORCH™ OUTFIT

Victor® Compatible, Medium-Duty
150-Series Style Regulators, CGA 540/200
100/1350 Style Combo Torch
Built-In Flashback Arrestors and Check Valves
Cutting Tip, 0-3-101, up to 4" with Proper Tip
Welding/Brazing Tip, 0-W-1, up to 1/4" with Proper Tip
Heating Tip, Not Included, MFx-1 Series
3/16" x 12.5' BB Twin Hose, R-Grade
Goggles, Striker, and Tip Cleaner
Plastic Tote
Repairable
20CF Oxygen Cylinder, CGA 540, ISO/DOT, Empty - 1753 Only
MC Acetylene Cylinder, CGA 200, ISO/DOT, Empty - 1753 Only



CAT#	DESCRIPTION	
1753	TOTE-A-TORCH WITH CYLINDERS CGA 540/200	
100749	TOTE-A-TORCH WITHOUT CYLINDERS CGA 540/200	

NEW

VICTOR® STYLE WCH Outfits with
CGA 300 Acetylene Connections.

MEDIUM-DUTY OUTFIT - BASIC

Victor® Compatible with Medium-Duty
250-Series Style Regulators, CGA 540/510
100/1350 Style Combo Torch
Built-In Flashback Arrestors and Check Valves
Cutting Tip, 0-3-101, up to 6" with Proper Tip
Welding/Brazing Tip, 0-W-1, up to 3/8"
with Proper Tip
Heating Tip, Not Included, MFx-1 Series
1/4" x 12.5' BB Twin Hose, R-Grade
Goggles, Striker, and Tip Cleaner
Tool Box
Repairable



CAT#	DESCRIPTION	
100751	MEDIUM-DUTY BASIC OUTFIT CGA 540/510	
100760	MEDIUM-DUTY BASIC OUTFIT CGA 540/300	

MEDIUM-DUTY OUTFIT - DELUXE

Victor® Compatible with Medium-Duty
250-Series Style Regulators, CGA 540/510
100/1350 Style Combo Torch
External Check Valves
Cutting Tip, 0-3-101, up to 6" with Proper Tip
Welding/Brazing Tip, (0,2,4)W-1, up to 3/8" with Proper Tip
Heating Tip, 8-MFA-1 Series
1/4" x 15' BB Twin Hose, R-Grade
Goggles, Striker, and Tip Cleaner
Tool Box
Repairable



CAT#	DESCRIPTION	
100752	MEDIUM-DUTY DELUXE OUTFIT CGA 540/510	
100761	MEDIUM-DUTY DELUXE OUTFIT CGA 540/300	

HEAVY-DUTY OUTFIT - BASIC

Victor® Compatible with Heavy-Duty
350-Series Style Regulators, CGA 540/510
315/2460 Style Combo Torch
Built-In Flashback Arrestors and Check Valves
Cutting Tip, 0-1-101, up to 8" with Proper Tip
Welding/Brazing, Not Included, to 1/2" with Proper Tip
Heating Tip, 8-MFA
1/4" x 15' BB Twin Hose, R-Grade
Goggles, Striker, and Tip Cleaner
Tool Box
Repairable



CAT#	DESCRIPTION	
100756	HEAVY-DUTY BASIC OUTFIT CGA 540/510	
100764	HEAVY-DUTY BASIC OUTFIT CGA 540/300	

HEAVY-DUTY CUTTING OUTFIT

Victor® Compatible
350-Series Style Regulators, CGA 540/510
21" 1600-Style Straight Cutting Torch, 90-Degree
Cutting Tip, 0-1-101, up to 12" with Proper Tip
1/4" x 15' BB Twin Hose, R-Grade
Goggles, Striker, and Tip Cleaner
Repairable



CAT#	DESCRIPTION	
100754	HEAVY-DUTY CUTTING OUTFIT CGA 540/510	
100762	HEAVY-DUTY CUTTING OUTFIT CGA 540/300	

HEAVY-DUTY OUTFIT - DELUXE

Victor® Compatible with Heavy-Duty
450-Series Style Regulators, CGA 540/510
315/2460 Style Combo Torch
External Check Valves
Cutting Tip, 0-1-101, up to 8" with Proper Tip
Welding/Brazing Tip, (0,2,4)W, up to 1/2" with Proper Tip
Heating Tip, 8-MFA Series
1/4" x 20' BB Twin Hose, R-Grade
Goggles, Striker, and Tip Cleaner
Tool Box
Repairable



CAT#	DESCRIPTION	
100755	HEAVY-DUTY DELUXE OUTFIT CGA 540/510	
100763	HEAVY-DUTY DELUXE OUTFIT CGA 540/300	

500,000 BTU FIREMAN™ WEEDBURNER

Burn Weeds, Brush, Pre-Heat and Melt Ice
All Steel Head & Handle, 36" Long
Propane Only, CGA 510 (Tank Sold Separately)
10' Black Hose
Flint Lighter
Display Box Provided Separately



CAT#	DESCRIPTION	
1723	500,000 BTU WEEDBURNER	

INDUSTRIAL PRO® GAS EQUIPMENT FAQ'S	
	All IP® regulators, flow meters, flow gauges and torch apparatus carry a 2-year limited warranty on manufacture defects
	All IP® products are 100% satisfaction guaranteed
	IP® gas equipment is built to equal OEM quality and performance at value price

TORCH HANDLES AND CUTTING ATTACHMENTS

CAT#	DESCRIPTION
100747	HEAVY-DUTY TORCH HANDLE WITH FLASHBACK ARRESTORS
Victor® Compatible with 315-Series, Clamshell Pkg Built-In Flashback Arrestors Check Valves Brass Body Construction Brass Gas Control Valves 9/16"-18 Male B-Size Fittings Repairable	



CAT#	DESCRIPTION
100746	MEDIUM-DUTY TORCH HANDLE WITH FLASHBACK ARRESTORS
Victor® Compatible with 100-Series, Clamshell Pkg Built-In Flashback Arrestors Check Valves Brass Body Construction Brass Gas Control Valves 9/16"-18 Male B-Size Fittings Repairable	



Style	Cat#	Model	Style	Fuel Gas
315FC	100747	315FC	Victor®	All
100FC	100746	100FC	Victor®	All
Fits 315FC/100FC	89094	FC Replacement Set		All

CAT#	DESCRIPTION
100743	HEAVY-DUTY CUTTING ATTACHMENT
Victor® Compatible with 2460-Series, Clamshell Pkg Head Mixer Brass Body Construction with Stainless Steel Tubes Brass Gas Control Valves Repairable	



CAT#	DESCRIPTION
100742	MEDIUM-DUTY CUTTING ATTACHMENT
Victor® Compatible with 1350-Series Clamshell Pkg Head Mixer Brass Body Construction with Stainless Steel Tubes Brass Gas Control Valves Repairable	



Style	Cat#	Model	Style	Fuel Gas
CA2460	100743	2460	Victor®	All
CA1350	100742	1350	Victor®	All

STRAIGHT CUTTING TORCHES

21" CUTTING TORCH

CAT#	DESCRIPTION
100429	90VACET-21
100427	90VLP-21
100428	70VLP-21
100436	70HLP-21

Cuts to 12" with Proper Tip
Victor® Compatible
1-Series Cutting Tips
Brass Body with Stainless Steel Tubes
9/16"-18 Male B-Size Fittings
Boxed



90° HEAD 70° HEAD



Cuts to 12" with Proper Tip, 6290NX
Harris® Compatible, "F" Injector Mixer
Brass Body with Stainless Steel Tubes
9/16"-18 Male B-Size Fittings
Boxed



Style	Cat#	Model	Style	Fuel Gas
ST1600	100429	90VACET-21	Victor®	Acetylene
ST1600	100427	90VLP-21	Victor®	LPG
ST1600	100428	70VLP-21	Victor®	LPG
62-3F	100436	70HLP-21	Harris®	LPG

36" CUTTING TORCH

CAT#	DESCRIPTION
100431	90VLP-36
100432	70VLP-36
100437	90HLP-36
100438	70HLP-36

Cuts to 12" with Proper Tip
Victor® Compatible
1-Series Cutting Tips
Brass Body with Stainless Steel Tubes
9/16"-18 Male B-Size Fittings
Boxed

90° HEAD 70° HEAD



Cuts to 12" with Proper Tip, 6290NX
Harris® Compatible, "F" Injector Mixer
Brass Body with Stainless Steel Tubes
9/16"-18 Male B-Size Fittings
Boxed



Style	Cat#	Model	Style	Fuel Gas
ST1600	100431	90VLP-36	Victor®	LPG
ST1600	100432	70VLP-36	Victor®	LPG
62-3F	100437	90HLP-36	Harris®	LPG
62-3F	100438	70HLP-36	Harris®	LPG

SELF-IGNITING TRIGGER AIR-FUEL TORCH

Ideal for Brazing, Soldering and Heating
Self-Igniting with Piezo Lighter
Adjustable Goose-Neck
Adjustable Flame Control
For Use with 1 lb. Propane or MAPP Disposable Cylinders (sold separately)



CAT#	DESCRIPTION
61545	AIR FUEL SELF-IGNITING TORCH

PENCIL FLAME TORCH

Ideal for Brazing, Soldering and Heating
Pencil flame propane torch
Adjustable flame knob for control and economy.
Solid brass valve body for durability.
For Use with 1 lb. Propane or MAPP Disposable Cylinders (sold separately)



CAT#	DESCRIPTION
61539	AIR FUEL PENCIL TORCH

Disclaimer: Cross Reference to competitor's models may have a slight difference in some specifications yet are deemed compatible. Victor® is a registered trademark of ESAB®. Airco® and Concoa® are registered trademarks of Controls Corporation of America. Harris® and Lincoln® are registered trademarks of Lincoln Electric Company®. Smith® and Miller® are registered trademarks of Illinois Tool Works®. Competitive trademarks are in no way affiliated with Industrial Pro®. We reserve the right to change specifications without notice. Note: Pictures are for reference only, not actual size.

SAFETY ACCESSORIES

QUICK-DISCONNECTS



FLASHBACK ARRESTORS



Model	Style	Cat#
Quick Disconnect	Torch to Hose, Oxygen & Fuel Gas, "B"-Size Set,	100000
Quick Disconnect	Regulator to Hose, Oxygen & Fuel Gas, "B"-Size Set	100003
Flashback Arrestor	Torch to Hose, Oxygen & Fuel Gas, "B"-Size Set,	100047
Flashback Arrestor	Regulator to Hose, Oxygen & Fuel Gas, "B"-Size Set	100050

CUTTING TIPS

VICTOR® STYLE Cutting Tips now available in
viald, 10-pack box (multiples of 10 only). Perfect for
bulk or labelled for individual sale.

VICTOR® STYLE

101 SERIES



NEW

						ACETYLENE			
		000-1-101	00-1-101	0-1-101	1-1-101	2-1-101	3-1-101	4-1-101	5-1-101
Vialed, each		100272	100511	100512	100513	100514	100515	100273	100274
Vialed, 10-Pack		100272B	100511B	100512B	100513B	100514B	100515B	100273B	100274B

VICTOR® STYLE

3-101 SERIES



		000-3-101	00-3-101	0-3-101	1-3-101	ACETYLENE			
		000-3-101	00-3-101	0-3-101	1-3-101	2-3-101	3-3-101	4-3-101	5-3-101
Vialed, each		100516	100517	100518	100519	100520	100521	100275	100276
Vialed, 10-Pack		100516B	100517B	100518B	100519B	100520B	100521B	100275B	100276B

VICTOR® STYLE

GPN SERIES



						PROPANE & NATURAL GAS		
		0-GPN	1-GPN	2-GPN	3-GPN	4-GPN		
Vialed, each			100284	100544	100545	100546	100285	
Vialed, 10-Pack			100284B	100544B	100545B	100546B	100285B	

VICTOR® STYLE

3-GPN SERIES



						PROPANE & NATURAL GAS		
		0-3-GPN	1-3-GPN	2-3-GPN	3-3-GPN	4-3-GPN		
Vialed, each			100547	100548	100549	100282	100283	
Vialed, 10-Pack			100547B	100548B	100549B	100282B	100283B	

SMITH® MILLER® STYLE

MC-12 SERIES



		MC12-00	MC12-0	MC12-1	ACETYLENE		
		MC12-00	MC12-0	MC12-1	MC12-2	MC12-3	MC12-4
Vialed, each		100239	100536	100537	100538	60408	100240

SMITH® MILLER® STYLE

SC-12 SERIES



		SC12-000	SC12-00	SC12-0	SC12-1	SC12-2	SC12-3	SC12-4	SC12-5
Vialed, each		100241	100242	100243	100540	100541	100244	100245	100246

SMITH® MILLER® STYLE

SC-50 SERIES



				PROPANE & NATURAL GAS		
		SC50-0	SC50-4			
Vialed, each		100248	100252			

HARRIS® LINCON® STYLE

6290 SERIES



		6290-000	6290-00	6290-0	6290-1	6290-2	6290-3	6290-4	6290-5
Vialed, each		100124	100525	100526	100527	100528	60430	100125	100126

HARRIS® LINCON® STYLE

6290-NX SERIES



				PROPANE & NATURAL GAS		
		6290-1NX	6290-2NX			
Vialed, each		100531	100532			

HEATING AND WELDING NOZZLES

VICTOR® STYLE W SERIES

Victor® Compatible with 300-Series
Gas Welding and Brazing
Oxygen and Acetylene
Brass with Copper Tubing

Model	Cat#
00-W	87831
0-W	87832
1-W	87833
2-W	87834
3-W	87835
4-W	100440
5-W	100441



VICTOR® STYLE MFA SERIES

Victor® Compatible with 300-Series
Gas Heating
Oxygen and Acetylene
Brass with Copper Tubing

Model	Cat#
6-MFA	100442
8-MFA	100663
10-MFA	100443
12-MFA	100444



VICTOR® STYLE MFN SERIES

Victor® Compatible with 300-Series
Gas Heating
Oxygen and Propane/Natural Gas
Brass with Copper Tubing

Model	Cat#
10-MFN	100445
12-MFN	100446



VICTOR® STYLE W-1 SERIES

Victor® Compatible with 100-Series
Gas Welding and Brazing
Oxygen and Acetylene
Brass with Copper Tubing

Model	Cat#
00-W-1	87821
0-W-1	87822
1-W-1	87823
2-W-1	87824
4-W-1	87826



VICTOR® STYLE MFA-1 SERIES

Victor® Compatible with 100-Series
Gas Heating
Oxygen and Acetylene
Brass with Copper Tubing

Model	Cat#
8-MFA-1	100662



VICTOR® STYLE MFN-1 SERIES

Victor® Compatible with 100-Series
Gas Heating
Oxygen and Propane/Natural Gas
Brass with Copper Tubing

Model	Cat#
8-MFN-1	100447



Warning: At no time should the withdrawal rate of an individual acetylene cylinder exceed 1/7 of the cylinder contents per hour. If additional flow capacity is required use an acetylene manifold system of sufficient size to supply the necessary volume.

BTU Consumption per Hour
Acetylene Up to 2,498 BTU's x Consumption
Propane/Propylene Up to 1,470 BTU's x Consumption

REGULATORS

150-SERIES

Light-Duty
Brass
50mm Gauges
Stem Style Seat
Clamshell Pkg



Model	Cat#
150-80-540	87070
150-80-540R	86230
150-15-510	87071
150-15-200R	86229

250-SERIES


Medium-Duty
Brass
2" Gauges
Encapsulated Seat
Clamshell Pkg



Model	Cat#
250-125-540	100721
250-15-300	100723
250-15-510	100722
250-40-510LP	100720

350-SERIES

Heavy-Duty
Brass
2-1/2" Gauges
Encapsulated Seat
Clamshell Pkg



Model	Cat#
350-125-540	100727
350-15-300	100729
350-15-510	100728
350-40-510LP	100726

450-SERIES

Heavy-Duty
Brass
2-1/2" Gauges
Encapsulated Seat
Clamshell Pkg



Model	Cat#
450-125-540	100734
450-15-300	100736
450-15-510	100735
450-40-510LP	100732
450-50-510LP	100733

FLOWGAUGE AND FLOWMETERS

FLOWGAUGE w/ 10' HOSE

Light-Duty
Inert Gas
0-60 SCFH Gauge
Brass
50mm Gauges
Stem Style Seat
5/8"-18 F Inert Outlet
10' Inert Gas Hose
Clamshell Pkg



Model	Cat#
150-60-580 Hose	100704 (85662)

250-SERIES FLOWGAUGE

Medium-Duty
Inert Gas
0-60 SCFH Flowtube
Brass
2-1/2" Gauges
Stem Style Seat
5/8"-18 F Inert Outlet
Boxed



Model	Cat#
F250-60-580	100717

FLOWMETER w/ 10' HOSE

Light-Duty
Inert Gas
0-60 SCFH Flowtube
Brass
50mm Gauge
Piston Style Seat
5/8"-18 F Inert Outlet
10' Inert Gas Hose
Clamshell Pkg



Model	Cat#
1400-60-580 Hose	100739 (85364)

250-SERIES FLOWMETER

Medium-Duty
Inert Gas
0-60 SCFH Flowtube
Brass
2" Gauge
Stem Style Seat
5/8"-18 F Inert Outlet
Boxed



Model	Cat#
250-60-580	100716

HIGH PRESSURE AND PURGING REGULATORS

NITROGEN PURGING

Medium-Duty
Nitrogen
0-450 PSIG Outlet
Brass
2" Gauges
Stem Style Seat
1/4" Male SAE Flare Outlet
Boxed



Model	Cat#
P-450-580	100702

HIGH PRESSURE PISTON

High Pressure
Nitrogen
1500 or 2000 PSIG Outlet
Brass
Piston Style Seat
2-1/2" Gauges
1/4" NPT Outlet
Boxed



Model	Cat#
HP-1500-580	100700
HP-2000-580	100701

STRINGER BEAD WHEELS

BRAND	COMMAND PRO™	
ITEM #	72816	72804
STD PACK		
TYPE	Stringer Bead	Stringer Bead
MATERIAL	Steel	Stainless
DIAMETER	4"	4"
WIRE SIZE	0.020"	0.020"
ARBOR	5/8"-11	5/8"-11
MAX. RPM	20,000	20,000
TOOL TYPE		



KNOTTED WIRE WHEELS

BRAND	COMMAND PRO™		FORNEY Red Cap	
ITEM #	72805	72812	72758	72749
STD PACK				
TYPE	Knotted	Knotted	Knotted	Knotted
MATERIAL	Stainless	Steel	Steel	Steel
DIAMETER	4"	4-1/2"	6"	6"
WIRE SIZE	0.020"	0.020"	0.020"	0.020"
ARBOR	5/8"-11	5/8"-11	5/8"-11	1/2 - 5/8"
MAX. RPM	20,000	15,000	9,000	9,000
TOOL TYPE				



WIRE CUP BRUSHES

KNOT WIRE CUP BRUSHES

BRAND	COMMAND PRO™ WHEN THE JOB DEMANDS MORE				
ITEM #	72807	72830	72802	72868	72832
STD PACK					
MATERIAL	Steel	Steel	Stainless	Steel Double Row	Steel with Bridle
DIAMETER	2-3/4"	2-3/4"	2-3/4"	4"	4"
WIRE SIZE	0.020"	0.020"	0.020"	0.020"	0.020"
ARBOR HOLE	5/8"-11	5/8"-11	5/8"-11	5/8"-11	5/8"-11
MAX. RPM	12,500	15,000	12,500	8,500	8,500
TOOL TYPE					



#72808 COMMAND PRO MULTI-THREAD ADAPTER, FITS 5/8 IN-11 TO M10 X 1.25

Looking for Different Sizes?
Contact IP Customer Service for More Options



CRIMPED WIRE CUP BRUSHES

BRAND	COMMAND PRO™ WHEN THE JOB DEMANDS MORE							
ITEM #	60004	72268	60006	72270	60005	72269	72801	72826
STD PACK		Bulk		Bulk		Bulk		
MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Stainless	Steel
DIAMETER	1-1/2"	1-1/2"	2-1/2"	2-1/2"	2-1/2"	2-1/2"	2-3/4"	3"
WIRE SIZE	0.014"	0.014"	0.008"	0.008"	0.014"	0.014"	0.014"	0.014"
SHANK	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	5/8"-11	5/8"-11
MAX. RPM	13,000	13,000	13,000	13,000	13,000	13,000	14,000	14,000
TOOL TYPE								



#72808 COMMAND PRO MULTI-THREAD ADAPTER, FITS 5/8 IN-11 TO M10 X 1.25



STEM-MOUNTED END BRUSHES



BRAND
ITEM #

COMMANDPRO™ WHEN THE JOB DEMANDS MORE

ITEM #	60001	72265	72803	60002	72266	60003
STD PACK		Bulk			Bulk	
TYPE	Crimped	Crimped	Crimped	Knotted	Knotted	Circular Flare
MATERIAL	Steel	Steel	Stainless	Steel	Steel	Steel
DIAMETER	3/4"	3/4"	1"	1"	1"	1-1/2"
WIRE SIZE	0.020"	0.020"	0.014"	0.020"	0.020"	0.014"
SHANK CYLINDRICAL	1/4"	1/4"	1/4" Hex	1/4"	1/4"	1/4"
MAX. RPM	25,000	25,000	20,000	25,000	25,000	20,000
TOOL TYPE						

4-1/2" VARIABLE SPEED GRINDER



Adjustable Guard, Multi position handle
9A Motor, ACDC
Required voltage: 120V, 1000W
Variable RPM: 3,000-11,000 RPM
5/8"-11 spindle with Spanner Wrench
Power cord length: 6 ft 5 in
EU-Norms 3/23 EWG, 89/336 EWG, and 98/37 EWG

#1905 4-1/2" Angle Grinder

1905

\$89.99 MSRP

See Back Cover For Volume Discount Quantities/Pricing

CRIMPED WIRE WHEELS



BRAND
ITEM #

COMMANDPRO™ WHEN THE JOB DEMANDS MORE

ITEM #	60013	72251	60014	72252	60015	72253	60017	72255
STD PACK		Bulk		Bulk		Bulk		Bulk
TYPE	Crimped	Crimped	Crimped	Crimped	Crimped	Crimped	Crimped	Crimped
MATERIAL	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel
DIAMETER	1-1/2"	1-1/2"	2"	2"	2-1/2"	2-1/2"	3"	3"
WIRE SIZE	0.014"	0.014"	0.014"	0.014"	0.014"	0.014"	0.008"	0.008"
SHANK CYLINDRICAL	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
MAX. RPM	20,000	20,000	20,000	20,000	15,000	15,000	15,000	15,000
TOOL TYPE								

BRAND
ITEM #

COMMANDPRO™ WHEN THE JOB DEMANDS MORE

ITEM #	60016	72254	72100	72806	72819	72895	72896	72897
STD PACK		Bulk						
TYPE	Crimped	Crimped	Crimped	Crimped	Crimped	Crimped	Crimped	Crimped
MATERIAL	Steel	Steel	Steel	Stainless	Steel	Steel	Steel	Steel
DIAMETER	3"	3"	4"	4"	4-1/2"	6"	6"	8"
WIRE SIZE	0.014	0.014	0.020	0.014"	0.020	0.020"	0.014"	0.014"
FACE								1-1/4"
SHANK	1/4"	1/4"						
ARBOR			5/8"-11	5/8"-11	5/8"-11	1/2"-5/8"	1/2"-5/8"	1/2"-5/8"
MAX. RPM				15,000	12,500	6,500	6,500	4,500
TOOL TYPE								

#72808 COMMAND PRO MULTI-THREAD ADAPTER, FITS 5/8 IN-11 TO M10 X 1.25

Looking for Different Sizes?
Contact IP Customer Service for More Options

WHO TO CONTACT?

Team

Customer & Technical Service

1-888-889-1889

Fax: 1-888-889-8848 • Email: industrialpro@forneyind.com

Customer & Technical Service



Dyanne Green

Direct: 1-888-889-1889
Email: industrialpro@forneyind.com

Vice President Industrial Markets



Dave Eckert

Direct: 1-314-422-2942
Email: deckert@forneyind.com

Territory Sales Rep Midwest



Mark Wesenberg

Direct: 1-734-634-9144
Email: mwesenberg@forneyind.com

Territory Sales Rep Northeast



Charles Sarcia

Direct: 1-508-826-5036
Email: csarcia@forneyind.com

Territory Sales Rep California



Don Peterson

Direct: 1-760-496-8034
Email: dpeterson@forneyind.com

Territory Sales Rep Texas, NM & OK



Cody Walker

Direct: 1-806-674-2628
Email: cwalker@forneyind.com

President & CEO



Steve Anderson

Direct: 1-970-482-7271
Email: steve@forneyind.com

Director of Engineering & Technical Support



Jason Mahugh

Direct: 1-888-889-8889
Email: jmahugh@forneyind.com

Technical Support and Warranty Service Centers



Gabby Nieto

Direct: 1-970-472-7056
Email: technical@forneyind.com

Accounts Receivable



Sara Adams

Direct: 1-888-889-1889
Email: ar@forneyind.com

Web Resources

IP Website & Catalogs
www.industrialpro.net
www.forneyind.com

Forney Knowledge Center
www.askforney.com

Greenback Rebate Program
www.forneyind.com

LITERATURE SUPPORT

Need Literature?

¿Necesitas Literatura Española?

Contact Your Local IP Representative or IP Customer Service



BACK PAGE OFFERS



FORNEY PRO ADF WELDING MASK with HOOD

CAT#

55345



#261 140FCI



#298 100ST

Forney
EASY WELD®
GREENBACK

 Eligible
 See Page 3


#271 140MP

CAT# DESCRIPTION

261	FORNEY EASY WELD 140 FC-I FLUX-CORE WIRE WELDER
271	FORNEY EASY WELD 140 MP MULTI PROCESS WELDER
298	FORNEY EASY WELD 100 ST STICK DC-TIG WELDER

GREENBACK

\$50.00
\$60.00
\$40.00

4-1/2" VARIABLE SPEED GRINDER

Wheel size: 4-1/2"
Adjustable Guard, Multi position handle
9A Motor, ACDC
Required voltage: 120V, 1000W
Variable RPM: 3,000-11,000 RPM
5/8"-11 spindle with Spanner Wrench
Power cord length: 6 ft 5 in



EU-Norms 3/23 EWG, 89/336 EWG, and 98/37 EWG

CAT# DESCRIPTION

1905	4-1/2" VARIABLE SPEED GRINDER
------	-------------------------------

EASY WELD® AUTO-DARKENING WELDING HELMET



Black Matte
Lightweight
1/1/1/2 Clarity
2-Sensors
3.6"x1.6" View
5-pt Adjustable Headgear with Dual Crown Strap
Grind Option
9-13 Variable Shade, 5A TIG
External and Internal Controls
1/25,000 Switching
Solar with 3V Lithium Non-Replaceable Batteries
Boxed

CAT# DESCRIPTION

55731B	BLACK MATTE, ADF WELDING HELMET
--------	---------------------------------

500,000 BTU FIREMAN™ WEEDBURNER

Burn Weeds, Brush, Pre-Heat and Melt Ice
All Steel Head & Handle, 36" Long
Propane Only, CGA 510 (Tank Sold Separately)
10' Black Hose
Flint Lighter
Display Box Provided Separately



CAT# DESCRIPTION

1723	500,000 BTU WEEDBURNER
------	------------------------

BATTERY CHARGER, 6V 2A/10A, 12V 2A/10A/40A/200A START

6V Trickle Charge @ 2A
6V Standard Charge @ 10A
12V Trickle Charge @ 2A
12V Standard Charge @ 10A
12V Quick Charge @ 40A
Engine Start 200A
Running Gear Included



CAT# DESCRIPTION

52755	BATTERY CHARGER, 6V 2A/10A, 12V 2A/10A/40A/200A START
-------	---

BATTERY CHARGER, 6V 2A/4A, 12V 2A/4A

6V/12V Trickle Charge @ 2A/4A



CAT# DESCRIPTION

52735	BATTERY CHARGER, 6V 2A/4A, 12V 2A/4A
-------	--------------------------------------

BATTERY CHARGER, 6V 2A/10A/20A, 12V 2A/10A/20A/100A START

Bench Charger
6V/12V Trickle Charge @ 2A
6V/12V Standard Charge @ 10A
6V/12V Quick Charge @ 20A
Engine Start 100A



CAT# DESCRIPTION

52750	BATTERY CHARGER, 6V 2A/10A/20A, 12V 2A/10A/20A/100A START
-------	---